DATA ANNOUNCEMENT BULLETIN

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

NATIONAL SPACE SCIENCE DATA CENTER/
WORLD DATA CENTER A FOR ROCKETS AND SATELLITES
Code 601

Goddard Space Flight Center • Greenbelt, Maryland 20771

November 1982

AVAILABILITY OF IMP-J (IMP 8) INTERPLANETARY FIELD AND PLASMA DATA FOR THE INTERNATIONAL MAGNETOSPHERIC STUDY PERIOD (IMS)

INTRODUCTION

One recommendation of the IMS Assessment Symposium, held at NSSDC in May of 1981, was that 5-min resolution composite interplanetary field and plasma data sets be generated and made available to the scientific community. The purpose of this *Data Announcement Bulletin* (DAB) is to announce the availability of such a data set of IMP-J (IMP 8) field and plasma data.

The data set was compiled by Joseph H. King of the Goddard Space Flight Center Laboratory for Extraterrestrial Physics, using data of that Laboratory and of the Massachusetts Institute of Technology. The magnetic field data are from the Goddard Space Flight Center magnetometer (P.I.: N. F. Ness), and the plasma data are from the Massachusetts Institute of Technology Faraday cup experiment (P.I.: H. S. Bridge). The plots and listings were generated by Charles A. Wallace of the NSSDC staff.

DATA SET MEDIA AND TIME COVERAGE

There are actually two data sets available, one on a single magnetic tape (NSSDC ID: 73-078A-02E) and one on microfiche (NSSDC ID: 73-078A-02F). The microfiche data set consists of 11 fiche of plots displaying a subset of 3 parameters from the tape, and 41 fiche of listings giving a larger subset of parameters from the tape.

The tape data set spans the period April 12, 1977, to May 24, 1980. The microfiche data set covers a shorter interval, ending December 31, 1979. This covers a period from shortly before launch of the IMS-dedicated spacecraft, the ESA-GEOS 1 synchronous orbit spacecraft of the European Space Agency, through the end of the IMS data acquisition phase (December 31, 1979) at which time IMP-J was in the solar wind. (Recall that in its ~ 35 Re, 12.5 day orbit, IMP-J spends 4-5 days per orbit out of the solar wind, in the Earth's magnetosheath and magnetotail regions.)

EXPECTED READER USE OF PLOTS, LISTINGS, AND TAPE

The purpose of the plots is to enable the reader to identify times when interplanetary variations are likely to have interesting magnetospheric effects. On the other hand, the purpose of the listings is to permit the reader to quantify the state of the interplanetary medium for previously identified interesting intervals of limited durations; either the listed parameters, or others readily computed therefrom, may be of interest. The purpose of the tape data set, in addition to being the source of the plots and listings data set, is to enable statistical studies and to enable the quantification of the interplanetary medium for individual intervals whose long duration renders working from the data listing inconvenient.

COMPILATION OF THE TAPE DATA SET

This merged data set was generated as follows. First a 5-min IMF tape was created. This tape contained 5-min averages of 15.36 s resolution field parameters for hours when, based on magnetic field data signatures, IMP-J was judged to be beyond the Earth's bow shock for the entire hour. Plasma parameters, averaged at MIT over ~ 1-2 min resolution, were taken from an MIT-supplied tape for the times of the IMF records, and were merged onto the IMF tape. The resulting tape is available to the scientific community from NSSDC. Its format is shown in Appendix A. Note that in addition to basic field and plasma data, information is given on magnetic connectivity between IMP-J and the Earth's bow shock. There are field data in all records (whose number, 136325, represents a 42% overall data coverage between the first and last times), and there are plasma data in 79% of the records. This tape was used to generate the associated plots and listings data set.

DESCRIPTION OF PLOTS

Rather than plot each of several interplanetary parameters, computed parameters for each of two basically different ways the solar wind affects the magnetosphere are displayed. Sample plots are shown in Appendix B. Interplanetary pressure variations are responsible for large scale magnetospheric compressions and relaxations. For example, shock associated interplanetary pressure enhancements cause rapid magnetopheric compressions recorded at the Earth's surface as geomagnetic storm sudden commencements. One parameter plotted is interplanetary pressure, kNV^2. After computing pressure in units of dynes/cm^2 (N in cm^{-3}, V in km/s, k = 1.67 x 10^{-14}), it is plotted logarithmically on a scale from 1 to 100. Because of the neglect of heavier nuclei, pressures are underestimated by typically 20%. It should be noted that the magnetopause standoff distance is proportional to the sixth root of the solar wind pressure.

The other mode of interaction between the solar wind and the magnetosphere is electrodynamic. Many studies have shown that this interaction depends on solar wind speed and on the intensity and orientation of the IMF. The more nearly antiparallel the IMF and geomagnetic fields are in their interaction region, the stronger the interaction. However, the details of the interaction mechanism, and hence the most appropriate combination of interplanetary parameters, are problems on which a consensus has not yet been reached. For

example, since 1978 Akasofu and coworkers have advocated epsilon = $l_o^2 V B^2 \sin^4 (\theta/2)$ as the most appropriate parameter, where V, B, θ, and l_o are flow speed, magnetic field intensity, polar angle of the Y-Z projection of the IMF vector, and an empirically determined effective magnetospheric cross-sectional radius. However the simple product $B_z * V$ (B_z in GSM coordinates), which is proportional to the y component of the solar wind convection electric field, has been used for a yet longer period and continues to be favored by many.

Both epsilon and $B_z * V$ were plotted on the same panel. Epsilon was computed in units of ergs/s, after which epsilon (ergs/s)/3.2 x 10^{17} was plotted logarithmically from 1 to 100. $B_z * V$ was computed in units of volts/m [3 x 10^4 x B_z (nT) x V (km/s)/c (3 x 10^{10} cm/s)], after which $-B_z * V$ (volts/m) x 10^4 was plotted logarithmically from 1 to 100. These scales were chosen to yield profiles only when the solar-wind-to-magnetosphere energy transfer is expected to be very significant ($B_z * V < 0$, epsilon > 3.2 x 10^{17}). It may be observed that these two parameters generally track each other well. Since most ~ 5 min scale variations in these parameters follow from field variations rather than flow speed variations, mean speeds (400 km/s) were used for those 5-min records having field data but no plasma data. On the plots, such times are identifiable by the presence of epsilon and $B_z * V$ traces and the absence of a simultaneous pressure trace. In order to avoid the ambiguity between data gaps and off-scale parameter values, off-scale values have been plotted near the bottom or top of the appropriate panel.

DESCRIPTIONS OF DATA LISTINGS

The data listings provide the basic field and plasma parameters, as well as, the computed, plotted parameters. A partial listing is shown in Appendix C. Field parameters include the average field magnitude, Cartesian components in solar magnetospheric coordinates, and the vector standard deviation--i.e. $(\sigma x^2 + \sigma y^2 + \sigma z^2)^{1/2}$-- and the field azimuth angle. Plasma parameters include the bulk flow speed (km/s), proton density (cm^{-3}), proton temperature (deg K, times 10^{-3}), and the flow longitude and latitude angles (deg). These angles are positive for flow from west and from south of the sun, respectively. In preparing this data compilation, it was noted that the flow latitude angle became increasingly positive with time. Over the 1975-1980 period, the trend could be reasonably fit with the linear equation: Theta (deg) = 0.25 + 1.125*T, where T is fractional years since 1975.0. In consultation with MIT personnel, this trend was attributed to instrumental effects, and it was subtracted from the MIT-supplied data before generating the composite field/plasma tape and listing therefrom.

The computed parameters listed are pressure (dynes/cm^2, times 10^{-9}), epsilon (ergs/s, times 10^{-16}), and $B_z * V$ (nT*km/s). Note that between the plots and listings, epsilon involves a different normalization factor (3.2 x 10^{17} vs 10^{16}), and $B_z * V$ involves different units (volts/m vs. nT*km/s; 1 volt/m = 10^6 nT*km/s). As noted above, V = 400 km/s was assumed in computing both epsilon and $B_z * V$ for records having field data but no plasma data.

ORDERING INFORMATION

When making inquiries about the data, please refer to the NSSDC IDs:

73-078A-02E	for the tape data set
73-078A-02F	for the microfiche data set

Researchers residing in the United States should direct inquiries to

National Space Science Data Center
Code 601.4
Goddard Space Flight Center
Greenbelt, Maryland 20771
Telephone: (301) 344-6695
FTS: 344-6695

Researchers who reside outside the United States should direct inquiries to

World Data Center A for Rockets and Satellites
Code 601
Goddard Space Flight Center
Greenbelt, Maryland 20771, U.S.A.
Telephone: (301) 344-6695
Telex: NASCOM GBLT 89675

APPENDIX A

FORMAT OF 5-MIN RESOLUTION MERGED IMP-J IMF-PLASMA TAPE

This IMP-J tape contains 5-minute plasma parameter averages provided by MIT, 5-minute IMF averages computed from GSFC 15.36 sec data, and information on whether the 5-min IMF vector intersects the Earth's bow shock. Only times when IMP-J is in the solar wind are included. There are magnetic field data in every record. Some records have fill data (= 0.0) in the plasma words.

The tape is a 9-track, 1600-bpi, binary tape created on an IBM 3081 computer. The tape format is fixed block with a logical record length of 45 words (180 bytes), blocked 150 logical records per physical record. The physical record length is 6750 words (27,000 bytes). The last physical record on the tape may be short, but is an integer multiple of logical records.

The IBM JCL for the DCB parameter used to create the tape was:

NL, 9 TRACK, DEN=3, RECFM=FB, LRECL=180, BLKSIZE=27000

Format of logical data record:

word	type	data	
1.	I*4	Year (77, 78, 79, 80)	
2.	I*4	DDay (Jan 1 = Day 0)	
3.	I*4	Minute of day at start of average (0, 5... 1435)	
4.	I*4	Number of 1.28 s IMF values in 5-min B average (note that each 15.36 s average consists of up to 12 1.28 s values)	
5.	I*4	Number of 15.36 s IMF values in B average	
6.	I*4	Number of points in plasma parameter averages	
7.	R*4	X_{GSM}	IMP-J position, km
8.	R*4	Y_{GSM}	
9.	R*4	Z_{GSM}	
10.	R*4	λ_s	Geomagnetic Latitude of Sun (degree)
11.	R*4	$< \|B\| >$	nT
12.	R*4	$< B_{X_{GSM}} >$	nT

word	type	data
13.	R*4	$< B_{Y_{GSM}} >$ nT
14.	R*4	$< B_{Z_{GSM}} >$ nT
15.	R*4	$(< B_X >^2 + < B_Y >^2 + < B_Z >^2)^{1/2}$
16.	R*4	$\theta_{B_{GSM}}$ degrees (from $< B_X >$, $< B_Y >$, $< B_Z >$)
17.	R*4	$\phi_{B_{GSM}}$ degrees (from $< B_X >$, $< B_Y >$)
18.	R*4	σ_{B_X}
19.	R*4	σ_{B_Y} nT, in generation of 5-min averages from 15.36 s values
20.	R*4	σ_{B_Z}
21.	R*4	$\{ < \sigma_x^2 + \sigma_y^2 + \sigma_z^2 > \}^{1/2}$ these σ's arise in the generation of 15. 36 s averages from 1.28s values
22.	R*4	Maximum value of any of the σ's contributing to word 21
23.	R*4	V, km/s (bulk flow speed)
24.	R*4	σ_v, km/s
25.	R*4	N, cm^{-3} (proton density)
26.	R*4	σ_N, cm^{-3}
27.	R*4	W, km/s (thermal speed)
28.	R*4	σ_w, km/s
29.	R*4	ϕ_v, degrees, flow azimuth (+ from west)
30.	R*4	σ_ϕ, degrees
31.	R*4	θ_v, degrees, flow latitude (+ from south)
32.	R*4	σ_θ, degrees
33.	R*4	Y_{GSE} (IMP-J position, km)
34.	R*4	Z_{GSE} (IMP-J position, km)

word	type	data
35.	R*4	$< B_{y_{GSE}} >$ nT
36.	R*4	$< B_{z_{GSE}} >$ nT
37.	R*4	X
38.	R*4	Y — km, in GSE, point of intersection between IMF line through IMP-J, and the bow shock (see footnote)
39.	R*4	Z
40.	R*4	Distance (km) along $\underline{B}$ between IMP-J and bow shock intersection point
41.	R*4	Angle (in degrees) between $\hat{B}$ and bow shock normal at intersection
42.	R*4	$B_z * V$ (nT x km/s)
43.	R*4	E (ergs/s)$=2 \times 10^{14} \times V \times B^2 \times \text{SIN}^4 \left(1/2 \tan^{-1} \left(\frac{\lvert B_{y_{GSM}} \rvert}{B_{z_{GSM}}} \right) \right)$
44.	R*4	$1.67 \times 10^{-14} \times N \times V^2$, dynamic pressure in dynes/cm^2
45.		Spare

NOTES: In word 31 θ_V (on this tape) = θ_V (on MIT tape) - (.25 + 1.125T) deg where T is fractional years since 1975.0

In words 42 and 43, V = 400 is used for records with no plasma data.

Words 37-41 = -999. for no-intersection cases. (Intersection calculations are based on a model bow shock - Fairfield, J. Geophys. Res., 76, 6700 - adjusted for simultaneously observed solar wind pressure when available.)

ORIGINAL PAGE IS
OF POOR QUALITY



ORIGINAL PAGE IS OF POOR QUALITY



ORIGINAL PAGE IS
OF POOR QUALITY





APR. 12, 1977 IMP-J POSITION IN GSM COORDINATES: X(-11.1); Y(-32.9); Z(1.8) Page 1

		MAGNETIC FIELD (GSM COORD.)						PLASMA					PRESS	EPSLN	
HR	MN	BMAGN	Bx	By	Bz	SIGMA	PHI	V	N	T/1000	PHI	THETA	10e9	10e-16	BzBV
3	5	3.9	2.7	1.8	1.9	1.1	33.	416.	5.7	53.	0.3	1.6	16.6	2.1	778.7
3	10	4.2	3.3	-0.1	2.7	0.3	359.							0.0	1078.2
3	15	4.2	3.3	-0.5	2.5	0.3	352.							0.0	1009.2
3	20	4.2	3.4	-0.4	2.4	0.4	353.							0.0	965.7
3	25	4.4	3.9	-0.7	1.5	0.8	350.							0.3	595.7
3	30	4.9	4.1	-1.3	1.5	1.5	342.							2.6	584.8
3	35	4.2	2.4	-2.6	1.3	1.8	312.							8.5	530.3
3	40	4.3	3.3	-1.6	1.4	1.6	335.							3.6	553.0
3	45	4.6	3.8	-1.3	1.1	1.5	342.							3.8	452.8
3	50	4.9	4.2	-1.5	1.0	1.3	341.							7.2	419.2
3	55	4.7	3.9	-1.6	0.8	1.4	338.							10.3	334.5
4	0	4.3	3.4	-1.5	0.8	1.2	336.							8.6	321.1
4	5	4.9	4.2	-1.3	1.5	1.3	343.							2.1	618.7
4	10	5.7	5.0	-1.2	2.0	1.2	346.							1.3	801.2
4	15	4.2	3.6	-1.0	0.9	1.5	344.							3.3	352.7
4	20	4.1	3.4	-1.0	1.1	1.6	343.							2.3	425.9
4	25	4.0	3.5	-0.8	0.6	1.5	347.							4.0	246.7
4	30	4.0	3.0	-1.4	0.4	1.6	334.	422.	5.1	122.	-2.7	-0.7	15.3	12.6	174.1
4	35	4.0	3.1	-2.0	-0.6	1.2	327.							44.9	-231.7
4	40	3.9	3.0	-0.6	1.3	2.0	349.							0.2	505.4
4	45	4.8	4.1	0.3	2.4	0.5	5.							0.0	947.0
4	50	4.6	4.3	-0.5	1.4	0.8	353.							0.2	558.8
4	55	4.3	3.7	-1.5	1.1	0.8	338.							5.7	447.0
5	0	5.5	5.1	-0.8	1.6	0.7	351.							0.5	652.1
5	5	3.9	3.4	-0.5	1.1	1.4	352.							0.2	437.5
5	10	2.9	2.2	-0.7	0.4	1.5	344.							2.3	173.1
5	15	3.1	1.9	-1.4	0.4	1.7	323.	414.	4.6	67.	-1.5	0.1	13.3	6.2	182.4
5	20	3.6	3.3	-0.6	0.5	1.4	350.	417.	5.5	68.	-1.3	-0.2	16.0	3.5	189.2
5	25	4.3	4.1	-0.0	1.3	0.5	359.	418.	8.4	170.	-0.8	0.3	24.6	0.0	526.3
5	30	4.4	3.6	1.0	2.3	0.6	15.	422.	6.9	114.	0.4	0.1	20.5	0.2	976.1
5	35	4.6	3.6	1.3	2.5	0.2	19.	417.	6.6	73.	0.5	0.2	19.1	0.5	1038.1
5	40	4.4	3.5	1.3	2.4	0.1	21.	417.	6.6	78.	0.4	1.4	19.3	0.6	1015.0
5	45	4.4	3.3	1.4	2.6	0.1	22.	425.	6.4	94.	0.4	0.4	19.2	0.6	1088.3
5	50	4.2	3.2	0.9	2.4	0.7	15.	423.	6.8	109.	-0.0	1.1	20.3	0.1	1027.9
5	55	4.2	3.2	0.4	2.6	0.4	7.	423.	6.9	109.	0.1	1.5	20.5	0.0	1111.6
6	0	4.3	3.0	1.5	2.6	0.6	27.	423.	6.3	97.	0.4	0.4	19.0	0.8	1094.1
6	5	4.2	3.4	0.8	2.4	0.3	14.	424.	6.4	107.	0.4	2.0	19.3	0.1	1026.8
6	10	4.2	3.3	0.7	2.4	0.1	12.	423.	6.6	105.	0.5	1.0	19.7	0.1	1003.6
6	15	4.2	3.2	1.1	2.5	0.4	19.	424.	6.2	101.	0.5	1.6	18.7	0.3	1043.5
6	20	4.2	2.9	1.3	2.8	0.3	25.							0.3	1103.9
6	25	4.2	3.2	1.1	2.5	0.2	18.	421.	6.4	105.	0.4	0.0	18.8	0.3	1048.1
6	30	4.3	3.1	1.2	2.7	0.2	20.	420.	6.3	105.	0.3	0.2	18.6	0.3	1117.2
6	35	4.2	3.4	1.1	2.3	0.4	17.	420.	6.5	113.	0.4	-0.3	19.2	0.3	966.2
6	40	4.2	3.5	1.2	2.0	0.3	19.	420.	6.5	118.	0.4	0.9	19.1	0.8	840.0
6	45	4.3	3.3	1.0	2.4	0.4	16.	424.	6.1	103.	0.1	2.3	18.5	0.2	1029.8
6	50	4.2	3.4	1.1	2.3	0.2	18.	420.	6.1	112.	0.3	0.4	18.0	0.4	952.8
6	55	4.2	3.0	1.1	2.7	0.5	21.	417.	6.0	118.	-0.2	-0.6	17.4	0.2	1116.1
7	0	4.2	2.7	1.3	2.9	0.2	26.	421.	6.1	95.	-0.0	-0.5	18.1	0.3	1202.8
7	5	4.1	2.5	1.6	2.8	0.1	34.	418.	6.4	95.	0.3	-0.6	18.8	0.7	1156.5
7	10	4.2	2.7	1.8	2.7	0.2	33.	417.	6.1	75.	0.0	1.3	17.6	1.0	1109.3
7	15	4.3	3.0	1.8	2.5	0.2	32.	416.	5.8	73.	0.1	-0.2	16.8	1.4	1056.2
7	20	4.4	3.1	2.0	2.2	1.1	32.	416.	5.6	64.	0.1	0.5	16.2	2.4	909.1
7	25	4.4	3.5	2.1	1.5	0.2	31.	415.	5.1	49.	0.4	0.4	14.8	7.1	632.2
7	30	4.4	3.5	2.0	1.7	0.2	30.	415.	5.3	48.	0.1	1.3	15.2	4.7	716.9

7	35	4.4	3.4	2.1	1.9	0.2	32.	414.	5.4	51.	0.1	0.8	15.4	4.6	767.8
7	40	4.4	3.8	1.1	2.0	0.3	16.	414.	6.3	49.	0.6	2.9	18.0	0.6	887.5
7	45	4.2	3.8	0.1	1.6	0.4	1.	413.	5.7	51.	0.3	1.4	16.2	0.0	660.0

APR. 12, 1977 IMP-J POSITION IN GSM COORDINATES: X(-8.3); Y(-32.3); Z(7.3) Page 2

		--- MAGNETIC FIELD (GSM COORD.) ---						---------- PLASMA ----------					PRESS*	EPSLN*	
HR	MN	BMAGN	Bx	By	Bz	SIGMA	PHI	V	N	T/100K	PHI	THETA	10e9	10e-16	BzxV
7	50	3.9	3.6	-0.1	1.3	0.5	358.	413.	5.4	53.	0.0	-0.4	15.4	0.0	546.9
7	55	4.0	3.8	0.2	0.8	0.3	2.	414.	5.3	51.	0.3	0.1	15.3	9.0	332.8
8	0	4.4	3.6	1.0	2.0	0.9	16.	413.	5.4	54.	0.3	0.6	15.5	0.5	836.4
8	5	4.6	3.5	1.4	2.6	0.3	22.	416.	5.1	65.	-0.5	-0.1	14.8	0.7	1063.5
8	10	4.6	3.5	1.2	2.7	0.3	20.	414.	5.4	70.	0.2	-0.5	15.5	0.3	1122.3
8	15	4.6	3.5	1.2	2.8	0.1	19.	417.	5.2	56.	-0.2	0.8	15.0	0.3	1155.7
8	20	4.5	3.5	1.5	2.4	0.3	24.	417.	5.2	57.	0.2	1.7	15.1	1.0	1015.7
8	25	4.4	3.5	1.3	2.3	0.2	21.	414.	5.4	45.	0.5	0.7	15.5	0.7	972.8
8	30	4.3	3.3	1.5	2.4	0.4	24.	412.	6.0	48.	1.4	2.9	17.1	0.8	985.2
8	35	4.1	2.4	1.5	2.9	0.6	32.	415.	6.6	48.	1.5	4.7	19.1	0.5	1198.2
8	40	4.3	2.6	1.9	2.8	0.3	37.	412.	6.0	51.	0.9	1.2	17.1	1.2	1152.7
8	45	4.3	2.9	1.6	2.7	0.2	28.	410.	6.2	52.	1.1	2.8	17.5	0.7	1089.3
8	50	4.4	3.1	1.6	2.7	0.1	27.	417.	6.0	56.	1.1	-0.2	17.5	0.8	1108.9
8	55	4.5	3.2	1.5	2.7	0.1	25.	409.	5.9	52.	1.0	0.4	16.4	0.6	1115.9
9	0	4.3	2.7	1.5	3.0	0.4	30.	425.	6.3	54.	0.9	3.5	19.0	0.5	1254.3
9	5	4.2	2.7	1.5	2.8	0.4	29.	410.	6.3	52.	1.4	1.0	17.8	0.5	1166.7
9	10	4.4	3.3	1.3	2.5	0.3	24.	408.	6.1	52.	1.5	0.8	16.9	0.8	1009.3
9	15	4.5	3.5	1.5	2.5	0.3	24.	409.	6.2	52.	1.6	2.0	17.3	0.9	1005.5
9	20	4.7	3.8	1.5	2.3	0.4	21.	410.	5.6	49.	0.9	1.0	15.8	1.1	941.8
9	25	4.7	4.2	1.1	1.6	0.2	15.	408.	5.8	53.	0.9	1.5	16.0	1.6	632.8
9	30	4.8	4.3	1.0	1.7	0.4	14.	410.	5.6	47.	0.9	1.4	15.7	0.9	702.1
9	35	4.6	4.3	0.5	1.4	0.2	7.	411.	5.4	45.	-0.1	1.5	15.3	0.1	595.3
9	40	4.5	3.6	1.0	2.4	0.8	16.	408.	6.5	54.	1.2	1.8	18.1	0.3	977.3
9	45	4.3	3.9	0.5	1.8	0.2	8.	407.	6.8	59.	1.0	1.7	18.7	0.1	744.2
9	50	4.4	3.8	0.8	1.9	0.6	12.	408.	6.5	58.	0.8	1.9	18.2	0.3	788.4
9	55	4.6	4.2	1.1	1.4	0.4	15.	408.	6.3	54.	1.4	1.2	17.5	1.8	587.0
10	0	4.5	4.4	1.0	0.6	0.2	13.	430.	5.9	54.	1.6	-0.8	18.3	11.2	239.7
10	5	4.5	4.3	0.8	1.0	0.5	10.							2.2	380.3
10	10	4.6	4.3	1.4	0.8	0.3	17.							38.6	19.1
10	15	4.5	4.3	1.3	0.6	0.5	17.							12.8	258.2
10	20	4.3	4.1	1.1	0.6	0.3	15.							9.3	242.2
10	25	4.4	4.3	0.8	0.1	0.3	11.							26.3	57.2
10	30	4.2	4.2	0.3	0.3	0.3	4.							2.1	125.3
10	35	4.1	3.9	1.2	0.6	0.0	17.							10.2	232.8
10	40	4.1	3.7	1.5	0.8	0.2	22.							9.3	322.4
10	45	4.1	3.3	2.2	0.8	0.2	34.							14.5	307.4
10	50	4.5	2.3	3.7	1.1	0.0	58.							21.4	432.1
10	55	4.4	2.1	3.6	1.7	0.1	60.							13.0	669.1
11	0	4.4	1.9	3.4	1.9	0.5	61.							9.7	778.1
11	5	4.3	2.8	1.8	2.0	1.8	33.							2.1	795.0
11	10	4.5	4.0	1.2	1.7	0.2	17.	409.	6.2	54.	1.0	1.7	17.4	1.4	704.8
11	15	4.4	3.9	1.0	1.6	0.2	14.	408.	6.6	66.	1.2	1.6	18.3	0.9	668.1
11	20	4.2	3.8	0.7	1.6	0.5	10.	405.	6.8	71.	1.0	0.3	18.7	0.2	667.6
11	25	4.3	3.9	0.3	1.6	0.6	4.	407.	6.5	72.	0.7	2.0	18.1	0.0	633.5
11	30	4.4	4.2	-0.1	1.2	0.2	359.	409.	5.2	63.	0.7	1.0	17.4	0.0	476.1
11	35	4.4	4.2	0.2	1.2	0.2	2.	407.	6.3	71.	0.9	0.6	17.4	0.0	503.3
11	40	4.2	3.9	0.7	1.5	0.5	11.	405.	6.6	69.	1.1	1.6	18.1	0.4	509.5
11	45	4.8	4.3	0.8	1.9	0.4	11.	410.	5.8	70.	0.5	-0.9	16.2	0.3	772.7
11	50	5.1	4.3	1.7	1.8	0.9	22.	411.	5.9	63.	0.7	0.3	16.6	4.2	719.9

11	55	5.1	4..	1.5	2.0	0.3	18.	414.	5.2	73.	-0.1	0.2	15.0	2.0	813.8
12	0	5.0	4.4	1.0	2.0	0.2	12.	410.	5.8	71.	0.7	1.0	16.4	0.5	839.5
12	5	5.0	4.5	0.7	2.2	0.3	8.	417.	5.5	106.	-0.9	0.5	16.1	0.1	920.2
12	10	5.0	4.1	0.3	2.7	0.4	4.	411.	6.1	72.	0.3	1.6	17.2	0.0	1009.9
12	15	4.9	4.0	0.1	2.7	0.5	1.	412.	6.3	61.	-0.1	1.2	17.9	0.0	1132.1
12	20	5.1	4.6	1.4	1.2	0.9	17.	407.	5.9	60.	0.4	2.5	16.3	6.5	496.2
12	25	4.0	3.4	2.0	-0.2	0.8	30.	409.	6.7	63.	1.3	0.3	18.8	37.9	-78.6
12	30	3.9	3.4	1.9	-0.1	0.3	89.	409.	7.0	64.	0.6	-1.1	19.5	32.3	-26.2

APR. 12, 1977 IMP-J POSITION IN GSM COORDINATES: X(-5.4); Y(-32.4); Z(6.1) Page 3

		MAGNETIC FIELD (GSM COORD.)						PLASMA					PRESS	EPSLNZ	
HR	MN	BMAGN	Bx	By	Bz	SIGMA	PHI	V	N	T/1000	PHI	THETA	10e9	10e-16	BzBV
12	35	4.2	4.1	1.0	0.2	0.7	14.	407.	7.0	75.	0.4	-0.7	19.3	25.0	67.3
12	40	4.4	4.4	-0.1	-0.2	0.2	358.	406.	6.9	75.	-0.3	-0.2	19.1	129.9	-72.1
12	45	4.3	4.3	-0.7	0.2	0.4	351.	409.	7.1	76.	-1.0	1.2	19.8	20.1	81.2
12	50	4.2	3.8	-1.5	0.7	0.8	338.	411.	7.2	68.	-2.1	2.2	20.2	12.5	276.1
12	55	4.0	3.2	-2.0	0.5	1.0	328.	420.	6.3	96.	-3.0	1.4	18.4	16.9	223.3
13	0	3.2	2.0	-1.9	0.3	1.3	317.	413.	6.2	72.	-1.2	1.2	17.7	11.2	128.5
13	5	2.9	1.3	-1.7	-1.0	2.1	308.	418.	6.9	87.	-1.3	-1.0	20.1	27.1	-432.8
13	10	5.0	-1.0	-3.1	-3.7	0.6	252.	420.	7.6	75.	-0.5	-0.3	22.3	158.0	-1544.2
13	15	4.9	-1.8	-2.9	-3.4	0.6	238.	425.	7.0	71.	-0.7	-0.9	21.0	153.7	-1441.8
13	20	4.9	-2.8	-2.3	-3.1	0.8	219.	424.	7.5	75.	-0.7	1.2	22.5	158.7	-1317.1
13	25	4.9	-2.4	-3.0	-2.9	0.6	231.	426.	6.9	69.	-0.7	-1.5	21.0	143.3	-1242.6
13	30	4.9	-2.0	-3.3	-3.0	0.5	239.	424.	6.9	75.	-0.8	6.3	20.7	139.6	-1260.5
13	35	4.8	-2.3	-2.7	-3.2	0.7	230.	424.	7.6	73.	-1.1	-0.4	22.9	151.3	-1368.5
13	40	4.7	-2.1	-2.5	-3.4	0.5	230.	423.	7.5	72.	-0.4	-0.8	22.5	153.6	-1448.4
13	45	4.8	-1.4	-2.9	-3.4	0.4	244.	416.	7.6	66.	-0.8	-0.0	22.5	145.3	-1433.3
13	50	4.7	-1.4	-3.1	-3.3	0.2	246.	416.	7.6	64.	-1.1	1.3	22.1	139.8	-1377.0
13	55	5.0	0.3	-3.7	-3.3	0.6	274.	409.	7.1	58.	-1.8	-1.5	19.9	137.5	-1334.9
14	0	5.2	1.0	-4.0	-3.2	0.3	284.	411.	7.2	57.	-1.6	0.2	20.3	143.4	-1294.8
14	5	5.2	1.2	-3.8	-3.3	0.4	288.	416.	7.9	69.	-1.8	1.5	22.9	154.0	-1378.2
14	10	4.8	2.7	-2.5	-0.7	2.9	318.	428.	6.5	54.	-1.2	1.2	20.0	48.3	-287.6
14	15	5.8	4.9	-0.7	3.0	0.2	351.	413.	8.2	48.	0.1	1.6	23.3	0.1	1228.2
14	20	6.0	5.2	-1.1	2.7	0.2	348.	413.	8.2	47.	-0.1	1.8	23.4	0.3	1131.4
14	25	5.9	5.1	-1.5	2.5	0.5	343.	413.	8.4	46.	0.1	1.9	23.8	1.5	1023.9
14	30	5.8	5.1	-1.7	2.2	0.5	342.	414.	8.6	49.	0.3	2.0	24.7	2.8	917.7
14	35	6.1	5.0	-2.4	2.4	0.7	334.	415.	10.1	60.	-0.7	2.6	29.0	6.8	984.7
14	40	5.5	4.3	-2.9	1.7	0.8	326.	414.	8.3	53.	-0.2	2.4	23.9	14.9	690.9
14	45	6.5	5.4	-2.7	2.3	0.7	334.	413.	10.1	54.	-0.1	2.3	28.8	10.6	932.5
14	50	6.4	5.6	-1.8	2.4	0.6	342.	414.	9.5	53.	0.7	2.1	27.2	3.7	976.5
14	55	6.1	5.3	-1.5	2.5	0.5	344.	414.	9.4	54.	0.7	2.7	26.8	1.6	1030.4
15	0	6.2	5.3	-2.1	2.4	0.5	338.	413.	8.6	49.	0.8	2.2	27.4	4.6	1010.9
15	25	7.4	6.6	-2.4	2.1	0.3	340.	411.	10.7	53.	-2.2	0.9	30.2	12.2	880.6
15	30	6.5	5.9	-2.1	1.5	0.6	341.	410.	9.5	55.	-1.6	0.8	26.6	13.5	631.5
15	35	6.6	6.0	-2.1	1.4	0.6	341.	411.	9.7	63.	-1.6	1.5	27.3	17.4	571.6
15	40	7.2	6.5	-2.4	1.4	0.5	340.	412.	10.9	58.	-2.8	2.0	30.9	24.2	595.8
15	45	6.3	5.5	-2.4	0.6	1.2	336.	407.	8.6	73.	-1.2	2.1	23.9	43.3	242.9
15	50	6.2	5.3	-1.4	1.9	2.0	345.	408.	9.3	63.	-0.6	2.0	25.9	8.7	789.1
15	55	6.7	5.9	-1.9	2.4	1.1	342.	408.	10.2	64.	-0.3	1.3	28.4	4.4	964.3
16	0	6.8	6.0	-2.2	2.1	1.2	340.	410.	10.3	86.	-1.7	3.0	28.9	8.9	869.1
16	5	5.9	4.9	-2.8	0.7	1.0	330.	411.	7.5	70.	-2.2	2.8	21.2	39.6	271.1
16	10	6.2	5.2	-2.7	0.4	1.1	332.	407.	8.6	83.	-2.7	1.5	23.8	49.9	182.6
16	15	6.2	5.1	-3.1	-0.0	1.3	329.	409.	8.5	58.	-2.1	2.4	23.9	72.1	-0.4
16	20	6.2	4.8	-3.5	-0.5	1.2	324.	410.	8.2	68.	-1.4	2.4	23.1	93.8	-198.2
16	25	7.0	5.0	-4.4	-1.1	1.1	319.	406.	8.8	78.	-0.2	2.0	24.2	141.4	-445.0

16	30	7.0	4.8	-4.3	-1.9	1.2	318.	405.	7.4	61.	-1.7	3.7	20.4	181.3	-779.3
16	35	6.7	5.0	-4.0	-0.6	1.5	321.	406.	8.2	62.	-1.3	3.1	22.7	112.7	-259.8
16	40	5.9	4.3	-3.6	-0.6	1.3	320.	400.	9.0	74.	-1.2	1.5	24.0	86.0	-247.6
16	45	6.5	4.9	-3.6	-1.4	1.2	324.	405.	8.6	64.	-1.1	3.0	23.6	146.3	-565.6
16	50	6.5	4.9	-3.7	-1.3	1.0	323.	409.	8.3	78.	-0.9	3.5	23.2	141.5	-516.3
16	55	6.4	4.3	-4.2	-1.1	1.3	316.	407.	8.3	59.	-1.8	3.4	22.9	119.5	-463.1
17	0	6.2	4.8	-3.3	-0.9	1.3	326.	397.	9.7	79.	-0.6	2.1	25.4	109.0	-346.3
17	5	6.1	4.9	-2.7	-1.5	1.1	331.	401.	8.8	51.	-2.0	1.6	23.6	152.0	-614.0
17	10	6.0	4.7	-3.0	-1.6	1.1	327.	404.	8.0	56.	-1.6	2.8	21.8	144.2	-631.0
17	15	6.4	4.9	-3.4	-1.7	0.9	326.	403.	8.1	63.	-2.4	3.3	22.0	162.9	-688.7
17	20	6.2	4.7	-3.3	-1.5	1.0	326.	403.	7.9	58.	-1.0	3.1	21.5	141.5	-592.7
17	25	6.0	4.4	-3.3	-2.1	1.0	323.	401.	7.8	56.	-1.3	2.1	21.0	162.0	-822.8
17	30	6.7	4.2	-3.6	-2.4	1.2	319.	396.	8.3	59.	-0.0	2.3	21.7	178.6	-963.5

APR. 12, 1977 IMP-J POSITION IN GSM COORDINATES: X(-2.3); Y(-32.4); Z(-4.0) Page 4

		--- MAGNETIC FIELD (GSM COORD.) ---						---------- PLASMA ----------					PRESS:	EPSLN:	
HR	MN	BMAGN	Bx	By	Bz	SIGMA	PHI	V	N	T/1000	PHI	THETA	10e9	10e-16	Bz:V
17	35	6.1	4.1	-3.8	-1.7	1.3	317.	399.	7.8	75.	-0.8	2.0	20.7	135.4	-681.5
17	40	6.5	3.6	-4.7	-1.8	1.8	307.	398.	8.7	54.	-0.6	4.8	22.9	139.9	-719.7
17	45	6.7	4.0	-4.4	-2.3	1.7	312.	403.	9.1	63.	-1.1	2.5	24.7	171.3	-910.1
17	50	6.0	3.1	-4.3	-2.1	1.7	306.	406.	10.5	72.	-1.6	2.1	28.9	137.8	-863.5
17	55	6.1	3.5	-4.0	-1.9	1.6	311.	406.	9.8	53.	-2.6	3.5	26.9	133.2	-774.1
18	0	5.7	2.5	-4.3	-1.9	2.0	300.	403.	10.9	62.	-1.0	0.9	29.6	112.6	-770.6
18	5	4.6	-0.1	-2.8	-3.5	1.2	269.	410.	11.0	72.	-1.8	1.8	30.9	132.0	-1440.5
18	10	5.1	3.1	-2.9	-1.7	2.1	316.	410.	10.4	71.	-2.6	3.2	29.2	98.4	-705.5
18	15	5.8	4.7	-3.0	0.6	1.0	327.	403.	8.8	61.	-2.1	2.1	23.9	40.1	258.2
18	20	5.8	4.2	-3.4	-0.4	1.5	321.	402.	9.7	80.	-1.9	2.9	26.3	73.5	-160.3
18	25	5.9	4.5	-3.3	-0.5	1.1	324.	396.	8.9	64.	-0.9	1.9	23.4	83.0	-199.5
18	30	6.3	5.2	-3.1	0.0	1.0	329.	397.	8.9	64.	-2.3	1.5	23.5	72.7	3.2
18	35	6.3	5.4	-2.8	0.7	0.8	333.	395.	9.6	66.	-2.5	2.2	25.1	42.8	272.2
18	40	6.6	5.7	-2.9	0.6	0.8	333.	400.	8.7	55.	-1.2	2.8	23.2	53.9	230.5
18	45	6.2	5.2	-2.7	0.3	1.2	333.	400.	10.4	53.	-1.7	2.8	27.8	54.6	126.9
18	50	5.7	4.8	-2.7	0.3	0.9	330.	396.	9.3	64.	-3.1	1.8	24.5	47.2	120.8
18	55	6.1	4.9	-3.3	0.5	1.0	326.	397.	10.1	73.	-2.4	2.2	26.6	49.1	213.1
19	0	5.6	4.8	-2.8	0.3	0.7	330.	395.	9.4	66.	-2.0	2.2	24.6	47.2	123.0
19	5	5.8	5.1	-2.4	0.5	0.9	334.	396.	9.4	69.	-2.4	2.0	24.6	40.5	193.8
19	10	6.5	5.7	-2.9	0.9	0.5	333.	395.	10.4	67.	-1.9	2.1	27.1	41.9	336.7
19	15	7.3	6.5	-2.9	1.4	0.6	336.	389.	13.3	77.	-1.4	1.1	33.6	32.0	552.6
19	20	5.9	5.2	-2.3	0.9	1.6	336.	394.	10.2	70.	-1.0	2.7	26.4	27.1	355.0
19	25	5.4	-4.0	-0.0	-2.2	3.0	180.	403.	11.2	71.	-1.1	2.6	30.4	165.4	-872.2
19	30	6.2	-5.8	1.7	-1.4	0.2	163.	420.	10.1	54.	-0.3	1.7	29.8	214.2	-583.5
19	35	6.2	-5.7	1.5	-1.9	0.3	165.	425.	12.5	107.	-0.8	1.4	37.7	260.1	-802.4
19	40	6.1	-5.5	1.5	-2.9	0.3	165.	418.	10.4	48.	-0.7	2.4	30.3	248.5	-840.2
19	45	5.9	-5.4	1.2	-2.1	0.3	167.	417.	10.7	52.	-0.7	1.8	31.1	255.9	-881.7
19	50	6.0	-5.6	1.2	-1.7	0.4	168.	418.	10.5	52.	-1.7	1.7	30.6	246.1	-716.1
19	55	6.1	-5.6	1.3	-2.0	0.4	167.	417.	10.3	52.	-1.1	1.9	29.9	261.2	-846.3
20	0	6.3	-5.7	0.6	-2.6	0.3	174.	419.	9.8	49.	-1.4	1.4	28.7	321.2	-1104.9
20	5	6.0	-5.6	0.5	-2.1	0.3	175.	418.	10.1	55.	-1.5	1.8	29.5	293.8	-894.5
20	10	5.5	-5.1	0.6	-1.9	0.3	173.	421.	11.2	76.	-1.7	0.8	33.2	243.5	-815.4
20	15	5.4	-5.0	-0.1	-2.1	0.7	182.	423.	11.5	77.	-1.9	0.2	34.4	245.8	-902.8
20	20	5.6	-5.2	-0.5	-2.0	0.2	185.	418.	10.6	58.	-2.0	1.7	30.9	259.1	-843.6
20	25	5.6	-5.3	-0.7	-1.7	0.3	187.	419.	10.8	65.	-1.8	1.2	31.7	245.0	-706.5
20	30	5.5	-5.3	-0.6	-1.2	0.6	186.	422.	10.8	72.	-1.4	1.6	32.1	223.0	-502.9
20	35	5.5	-4.7	-1.4	-2.3	1.0	196.	422.	11.1	67.	-2.1	1.9	33.0	214.0	-962.4

20	40	5.6	-4.5	-1.8	-2.7	0.3	202.	421.	10.7	62.	-1.9	1.0	31.7	217.2	-1137.3
20	45	5.5	-4.5	-2.3	-2.1	0.6	207.	420.	10.8	62.	-1.9	1.2	31.8	178.7	-890.2
20	50	5.5	-4.6	-1.9	-2.3	0.9	203.	424.	11.5	70.	-2.3	1.7	34.5	198.8	-971.9
20	55	5.3	-3.7	-3.0	-2.1	0.8	219.	422.	11.8	68.	-3.0	2.1	35.1	143.2	-899.0
21	0	5.5	-4.3	-3.4	-0.8	0.6	218.	419.	11.3	64.	-2.8	2.6	33.1	98.5	-354.7
21	5	5.3	-3.8	-3.6	-0.5	0.5	224.	421.	11.7	69.	-2.9	2.1	34.6	75.9	-215.3
21	10	5.4	-4.4	-1.9	-2.3	0.8	203.	419.	11.7	61.	-2.4	1.9	34.3	184.4	-955.6
21	15	5.6	-4.7	-1.9	-2.1	1.0	202.	414.	10.8	58.	-1.9	2.3	30.9	188.5	-858.6
21	20	5.6	-4.9	-1.9	-2.1	6.4	202.	416.	11.4	48.	-1.9	1.8	32.9	197.2	-859.5
21	25	5.6	-5.2	-1.5	-1.5	0.3	196.	416.	11.5	49.	-2.0	1.7	33.2	184.4	-606.7
21	30	5.5	-5.1	-0.7	-1.9	0.5	188.	415.	10.4	53.	-1.8	2.4	29.9	238.1	-795.1

APR. 13, 1977 IMP-J POSITION IN GSM COORDINATES: X(2.4); Y(-29.7); Z(-10.6) Page 5

		--- MAGNETIC FIELD (GSM COORD.) ---					---------- PLASMA ----------					PRESS:	EPSLN:	
HR	MN	BMAGN	Bx	By	Bz	SIGMA	PHI	V	N	T/1000	PHI	THETA	10**9	10**-16	BzV
1	5	6.4	5.9	-0.7	2.2	0.6	353.	393.	6.9	78.	-1.3	0.9	17.7	0.2	854.0
1	10	6.0	5.6	-0.6	1.9	0.5	353.	392.	6.7	81.	0.4	-0.0	17.3	0.2	746.7
1	15	5.8	5.5	-0.4	1.8	0.3	356.	393.	6.7	75.	1.2	1.3	17.4	0.0	689.1
1	20	5.8	5.5	0.4	1.8	0.6	4.	403.	6.8	82.	0.6	2.0	18.6	0.0	740.8
1	25	6.2	5.6	0.3	2.6	0.3	3.	391.	7.0	70.	0.4	0.7	17.8	0.0	999.9
1	30	6.0	5.4	0.4	2.5	0.6	5.	392.	6.6	64.	1.1	2.2	17.0	0.0	980.2
1	35	5.7	5.4	-0.1	1.7	0.2	359.	391.	6.9	72.	1.3	1.6	17.6	0.0	655.3
1	40	5.7	5.4	0.0	1.5	0.8	0.	389.	7.4	83.	1.3	2.4	18.6	0.0	564.2
1	45	5.7	5.2	0.4	1.7	1.1	4.							0.0	677.2
1	55	4.7	4.2	-0.4	1.9	0.5	354.	378.	6.7	112.	2.4	1.2	16.1	0.0	700.4
2	0	4.7	4.2	-0.3	1.8	0.8	355.	375.	6.3	43.	2.1	1.7	14.8	0.0	670.5
2	5	5.0	4.4	-0.4	2.3	0.6	355.	375.	8.3	106.	0.9	0.8	19.4	0.0	861.0
2	10	5.3	4.7	0.2	2.4	0.5	3.	384.	7.7	78.	0.8	-1.1	19.0	0.0	936.5
2	15	5.3	4.7	-0.2	2.4	0.4	358.	384.	7.7	82.	1.4	1.8	18.9	0.0	921.1
2	20	5.3	4.7	-0.3	2.4	0.2	356.	383.	7.1	90.	1.3	1.3	17.4	0.0	936.6
2	25	5.4	4.9	-0.6	2.3	0.4	353.	387.	6.4	75.	1.5	2.0	16.1	0.1	876.2
2	30	4.8	4.3	0.3	2.1	0.3	5.	386.	6.7	80.	1.6	2.2	16.6	0.0	798.1
2	35	5.2	4.8	0.1	2.1	0.4	1.	397.	5.1	59.	1.3	1.1	13.5	0.0	822.4
2	40	5.3	5.0	-0.4	1.5	0.3	355.	397.	5.2	60.	0.4	-1.2	13.7	0.1	589.7
2	45	5.1	4.9	-0.4	1.3	0.3	356.	398.	5.4	64.	0.4	2.1	14.2	0.1	541.1
2	50	5.0	4.8	-0.3	1.4	0.2	356.	392.	5.7	80.	0.8	-0.2	14.6	0.0	542.4
2	55	4.9	4.8	-0.2	1.2	0.1	357.	395.	5.4	73.	0.7	0.5	14.1	0.0	481.1
3	0	4.8	4.6	-0.1	1.3	0.2	359.	394.	5.5	79.	0.3	4.0	14.4	0.0	506.1
3	5	4.7	4.5	0.1	1.1	0.2	1.	391.	5.5	90.	0.2	2.1	14.0	0.0	410.8
3	10	4.4	4.3	0.5	0.8	0.2	7.	388.	5.7	100.	-0.1	1.8	14.5	0.2	329.5
3	15	4.4	4.2	0.6	1.0	0.2	8.	386.	5.7	110.	-0.2	0.4	14.3	0.7	379.0
3	20	4.3	4.1	0.7	1.1	0.1	10.	382.	6.1	125.	-0.8	0.3	14.9	1.0	411.4
3	25	4.2	4.1	0.7	0.9	0.1	9.	379.	6.6	147.	-1.0	0.5	15.8	1.2	355.3
3	30	4.2	4.1	0.5	0.9	0.2	6.	389.	5.9	136.	-4.8	-0.2	15.0	0.4	354.1
3	35	4.2	4.1	0.3	0.9	0.1	5.	384.	5.4	114.	-0.3	-0.1	13.4	0.1	359.1
3	40	4.1	4.0	0.4	1.0	0.1	5.	385.	5.2	110.	-0.3	0.6	12.9	0.1	379.3
3	45	4.1	3.9	0.4	1.0	0.3	6.							0.2	392.5
3	50	4.0	3.8	0.6	1.1	0.2	9.							0.5	442.0
3	55	4.1	3.8	0.6	1.4	0.3	10.							0.3	558.0
4	0	3.6	3.4	0.3	1.2	0.4	5.							0.0	486.2
4	5	3.7	3.5	-0.0	1.1	0.2	360.							0.0	454.8
4	10	4.0	3.9	-0.0	1.1	0.2	359.							0.0	451.4
4	15	4.2	3.9	-0.3	1.2	0.8	356.							0.0	486.8
4	20	4.3	3.9	-0.2	1.7	0.2	357.							0.0	675.5
4	25	4.1	3.7	-0.1	1.7	0.1	359.							0.0	672.0

4	30	4.0	3.7	0.1	1.7	0.1	1.							0.0	668.4
4	35	4.1	3.7	0.3	1.8	0.1	5.	390.	4.6	86.	-0.1	-0.5	11.8	0.0	712.0
4	40	4.1	3.7	0.5	1.6	0.3	8.							0.1	650.4
4	45	3.6	3.2	0.6	1.5	0.4	10.							0.1	602.8
4	50	3.4	3.2	0.2	1.2	0.3	3.							0.0	492.3
4	55	3.1	2.9	0.0	1.1	0.2	0.							0.0	426.0
5	0	3.5	3.3	-0.2	1.0	0.3	357.							0.0	399.0
5	5	3.0	2.7	0.2	1.2	0.3	4.							0.0	489.6
5	10	2.9	2.6	0.2	1.3	0.2	5.	389.	6.2	51.	1.1	0.4	14.1	0.0	461.3
5	15	3.1	2.8	0.3	1.3	0.2	6.							0.0	500.1
5	20	3.2	2.9	0.2	1.3	0.2	4.	371.	6.1	46.	1.0	1.5	14.1	0.0	491.4
5	25	3.3	3.1	-0.0	0.9	0.3	360.							0.0	365.0
5	30	2.9	2.8	0.1	0.7	0.3	2.	378.	5.6	51.	0.9	0.5	12.9	0.0	265.2
5	35	2.9	2.8	0.1	0.5	0.4	3.							0.0	206.5
5	40	3.2	3.0	0.2	0.8	0.2	4.							0.0	336.5
5	45	3.0	3.0	-0.0	0.7	0.2	360.							0.0	268.2

APR. 13, 1977 IMP-J POSITION IN GSM COORDINATES: X(5.3); Y(-30.0); Z(-5.8) Page 6

		--- MAGNETIC FIELD (GSM COORD.) ---						---------- PLASMA ----------					PRESS:	EPSLN:	
HR	MN	BMAGN	Bx	By	Bz	SIGMA	PHI	V	N	T/1000	PHI	THETA	10**9	10**-16	Bx*V
5	50	2.8	2.7	-0.0	0.7	0.2	359.							0.0	282.3
5	55	2.9	2.7	0.1	0.8	0.4	2.							0.0	301.6
6	35	2.5	2.2	0.3	-0.8	0.0	8.	392.	6.9	62.	1.2	-0.1	17.8	44.3	-318.6
6	40	2.8	2.1	1.4	-0.3	1.1	33.	392.	7.5	65.	2.3	0.4	19.3	17.7	-107.7
6	45	3.5	2.6	1.9	-1.2	0.4	36.	393.	7.2	62.	2.0	-0.1	18.5	53.7	-462.4
6	50	3.6	2.8	1.5	-1.6	0.4	27.	395.	7.0	64.	1.5	1.2	18.3	76.1	-644.0
6	55	2.9	2.3	0.9	-1.6	0.4	21.	393.	7.3	64.	1.2	0.3	19.0	59.7	-643.8
7	0	2.7	1.6	1.1	-1.9	0.4	33.	395.	7.6	63.	1.3	-0.2	19.8	50.0	-733.2
7	5	3.4	2.0	1.0	-2.6	0.5	28.	396.	7.3	59.	1.2	-0.0	19.1	85.7	-1025.7
7	10	3.2	1.5	0.2	-2.7	0.7	9.	399.	7.7	53.	0.8	1.5	20.4	76.4	-1070.2
7	15	2.9	0.7	-0.5	-2.7	0.7	324.	396.	7.3	54.	0.1	-0.2	19.2	63.6	-1078.2
7	20	2.7	0.6	-0.7	-2.5	0.6	310.	396.	8.0	49.	0.7	1.2	21.1	52.3	-973.4
7	25	9.0	2.8	0.6	-3.1	2.9	12.	395.	7.6	52.	0.9	1.0	19.8	140.1	-1230.0
7	30	3.7	1.9	1.3	-2.8	0.5	33.	397.	7.4	51.	1.4	0.5	19.4	97.9	-1130.1
7	35	3.9	2.1	0.2	-3.2	0.9	6.	395.	7.2	54.	0.6	-1.5	18.9	115.1	-1261.5
7	40	3.6	1.8	-0.8	-3.0	0.4	336.	395.	7.4	59.	-0.3	-0.4	19.2	98.1	-1170.4
7	45	3.8	1.8	-0.8	-3.0	0.9	337.	395.	7.3	56.	0.4	-0.0	19.0	101.7	-1202.8
7	50	3.8	2.4	-1.0	-2.8	0.4	337.	394.	7.4	64.	0.2	0.9	19.2	107.4	-1092.5
7	55	3.7	3.0	-0.5	-2.1	0.4	351.	393.	7.2	67.	-0.0	0.7	18.6	103.1	-819.2
8	0	3.7	2.4	-1.4	-2.4	0.7	329.	392.	7.1	61.	-0.5	0.2	18.1	90.1	-939.9
8	5	3.6	1.8	-2.4	-1.7	1.0	307.	392.	7.3	63.	-0.1	1.4	18.9	58.8	-664.2
8	10	3.8	2.1	-2.4	-1.3	1.4	312.	393.	7.8	61.	-0.8	0.6	20.0	51.7	-511.7
8	15	3.9	2.0	-2.5	-0.9	1.8	309.	381	7.7	53.	-0.4	0.7	18.7	36.2	-325.0
8	20	4.3	1.6	-3.3	-0.8	1.8	296.	393.	6.9	52.	-1.1	2.3	17.8	41.7	-299.1
8	25	3.7	1.8	-2.6	-0.4	1.6	305.	386.	6.6	53.	-1.0	1.2	16.4	26.4	-151.9
8	30	3.1	1.3	-1.7	-2.2	0.6	308.	391.	7.6	59.	-0.5	-0.4	19.4	58.5	-844.7
8	35	3.3	1.8	-2.2	-1.2	1.1	310.	394.	7.4	65.	-1.5	1.7	19.1	39.6	-456.6
8	40	3.6	1.9	-2.5	-1.4	0.7	307.	394.	7.8	64.	-0.9	2.3	20.4	51.3	-540.2
8	45	4.3	2.6	-2.7	-0.6	1.6	314.	395.	6.8	53.	-2.0	2.7	17.8	43.0	-248.2
8	50	3.9	2.5	-2.4	-0.3	1.6	316.	388.	6.2	63.	-1.6	3.0	15.5	29.8	-110.0
8	55	3.3	2.3	-1.7	0.1	1.4	323.	385.	7.4	54.	-3.1	1.4	18.3	13.0	49.7
9	0	3.5	2.9	-1.4	0.0	1.1	335.	394.	6.5	78.	-3.1	0.6	16.8	20.1	9.3
9	5	3.2	2.9	-0.5	0.2	0.9	350.	388.	6.2	76.	0.3	0.7	15.7	6.6	84.3
9	10	3.5	3.4	-0.3	0.1	0.6	355.	385.	7.7	98.	-0.4	-0.3	19.1	14.0	27.6
9	15	3.9	3.6	-0.7	0.2	1.0	349.	386.	8.1	93.	-0.5	1.6	20.1	11.3	96.3
9	20	3.4	2.7	-1.6	0.1	0.9	329.	382.	6.9	74.	-0.3	2.0	16.8	16.4	51.3
9	25	3.7	3.1	-1.7	0.1	0.7	332.	377.	7.5	90.	1.5	0.4	17.8	20.6	46.3

9	30	3.8	3.3	-1.3	-0.2	0.8	338.	383.	8.0	84.	0.8	2.0	19.5	31.0	-66.9
9	35	3.7	3.1	-1.2	-0.6	1.2	339.	381.	7.1	79.	0.5	0.5	17.2	45.2	-215.8
9	40	3.8	3.6	-0.2	-0.5	1.2	357.	384.	7.9	111.	-0.4	2.9	19.4	94.7	-203.8
9	45	4.3	4.1	1.1	0.0	0.5	15.	384.	8.9	89.	0.8	1.4	21.8	32.5	14.5
9	50	3.9	3.8	0.0	-0.5	0.7	0.	388.	7.8	87.	-0.4	1.4	19.7	111.3	-179.0
9	55	3.7	3.6	-0.2	-0.4	0.6	357.	385.	7.9	90.	0.1	0.8	17.3	86.8	-144.2
10	0	3.8	3.7	0.3	0.0	0.6	4.	385.	7.6	84.	-0.5	2.3	18.7	18.8	17.0
10	5	4.0	4.0	0.5	0.0	0.5	7.	386.	8.4	84.	0.1	1.1	21.0	87.3	11.1
10	10	4.1	3.9	0.6	1.0	0.4	8.	384.	9.1	88.	0.4	1.9	22.5	0.0	381.1
10	15	4.4	3.5	0.9	2.4	0.4	14.	385.	9.1	79.	0.5	1.9	22.5	0.1	931.9
10	20	4.3	3.5	1.0	2.3	0.3	15.	386.	8.8	78.	0.9	2.0	21.8	0.2	891.9
10	25	4.3	3.7	0.7	2.1	0.3	11.	384.	8.6	76.	1.0	2.1	22.2	0.1	831.5
10	30	4.2	3.9	0.4	1.5	0.5	6.	384.	8.6	78.	0.6	2.1	21.1	0.0	582.5
10	35	4.6	3.7	1.6	2.0	0.7	23.	387.	8.3	69.	0.2	1.8	20.7	1.8	778.7
10	40	4.7	3.5	1.9	2.3	0.2	28.	388.	8.3	64.	-0.4	2.4	21.0	2.1	910.5
10	45	4.6	3.7	1.8	2.1	0.2	26.	387.	8.4	65.	0.4	1.9	20.9	2.4	811.6
10	50	4.7	3.7	1.8	2.2	0.1	27.	387.	8.1	66.	0.7	1.9	20.4	2.2	865.8
10	55	4.7	3.5	2.0	2.3	0.3	30.	389.	8.3	60.	0.7	2.0	20.9	2.6	899.8
11	0	4.5	3.5	1.5	2.2	0.9	23.	387.	8.3	65.	1.0	2.1	20.8	1.2	858.2

APR. 13, 1977 IMP-J POSITION IN GSM COORDINATES: X(8.4); Y(-28.9); Z(-4.0) Page 7

		--- MAGNETIC FIELD (GSM COORD.) ---						---------- PLASMA ----------					PRESS*	EPSLN*	
HR	MN	BMAGN	Bx	By	Bz	SIGMA	PHI	V	N	T/1000	PHI	THETA	10e9	10e-16	Bz*V
11	5	4.5	3.7	0.2	2.5	0.2	3.	387.	8.6	69.	1.0	2.0	21.6	0.0	984.9
11	15	4.5	3.7	0.4	2.5	0.0	6.	385.	8.7	70.	0.7	1.4	21.6	0.0	977.8
11	20	4.5	3.6	0.3	2.6	0.1	4.	384.	8.7	75.	0.8	2.4	21.4	0.0	980.9
11	25	4.4	3.5	-0.1	2.7	0.2	358.	386.	9.2	70.	1.0	2.2	22.9	0.0	1040.1
11	30	4.5	3.7	0.5	2.6	0.3	8.	388.	8.2	94.	0.8	1.7	20.7	0.0	1002.3
11	35	4.2	2.8	2.3	2.0	0.8	39.	378.	8.4	64.	0.2	2.0	20.0	3.9	737.4
11	40	4.3	3.6	-1.3	1.7	0.9	340.	376.	8.1	57.	-1.5	2.1	19.1	1.6	621.9
11	45	4.7	4.1	-1.5	1.9	0.4	340.	388.	7.5	100.	-1.8	2.1	18.9	1.8	747.6
11	50	5.0	4.3	-1.2	2.0	0.7	344.	389.	6.8	86.	-2.8	0.8	17.3	1.1	781.7
11	55	5.1	4.4	-1.2	1.8	1.2	344.	388.	6.8	82.	-1.8	0.5	17.1	1.5	690.9
12	0	5.5	4.2	-2.7	1.7	1.0	327.	397.	5.0	65.	-2.2	0.7	13.2	12.0	674.5
12	5	5.7	4.3	-2.9	1.8	1.0	326.	404.	5.1	58.	-1.9	-1.8	14.0	13.6	732.7
12	10	5.5	3.9	-3.4	1.4	1.0	319.	416.	5.6	56.	-0.3	-1.0	16.1	24.0	562.8
12	15	5.8	3.3	-3.9	1.2	1.5	310.	410.	4.6	54.	1.0	-1.0	12.9	29.0	491.0
12	20	5.7	2.5	-4.6	0.4	1.9	298.	408.	5.7	51.	2.3	-2.4	15.8	46.4	179.3
12	25	5.3	2.3	-4.5	0.1	1.5	297.	415.	5.8	57.	2.3	-4.0	16.6	50.5	37.5
12	30	5.7	2.6	-4.6	0.5	1.9	300.	426.	5.6	67.	0.5	-1.0	17.0	48.0	196.3
12	35	5.2	2.3	-4.3	-0.6	1.3	298.	416.	5.8	65.	2.9	1.6	16.9	66.3	-253.0
12	40	6.1	2.2	-4.8	-0.4	2.0	299.	433.	5.8	70.	2.5	-1.4	17.4	54.3	-174.4
12	45	5.1	1.8	-4.4	-0.3	1.6	292.	417.	6.8	68.	2.9	-1.7	19.7	55.5	-139.6
12	50	4.9	2.2	-4.1	0.4	1.4	299.	423.	5.9	79.	2.9	-0.0	17.5	37.7	177.0
12	55	5.0	3.4	-3.3	0.8	1.1	316.	412.	5.3	65.	3.1	-0.9	15.0	28.2	309.1
13	0	4.6	3.4	-2.8	0.4	1.0	321.	409.	5.1	46.	4.2	-3.1	14.2	30.0	153.8
13	5	5.0	3.7	-3.0	0.6	1.1	321.	414.	5.6	121.	5.0	0.6	16.2	29.3	262.5
13	10	5.1	3.6	-3.0	2.0	0.8	320.	411.	6.5	70.	2.5	-1.5	18.4	10.4	817.0
13	15	4.9	3.7	-2.5	1.7	1.0	326.	412.	6.9	76.	2.3	-1.5	19.6	8.8	711.2
13	20	4.6	3.6	-2.0	1.7	0.9	332.	420.	7.0	104.	1.3	-1.9	20.7	5.1	699.0
13	25	4.5	3.3	-2.6	0.1	1.2	322.	418.	5.9	78.	0.6	-1.3	17.1	33.7	51.9
13	30	4.5	3.2	-2.6	-0.3	1.4	321.	419.	6.0	70.	3.1	-1.4	17.6	43.9	-121.6
13	35	4.7	3.2	-2.8	-0.6	1.4	318.	416.	5.8	74.	1.7	-2.0	16.9	55.0	-231.8
13	40	4.8	3.0	-3.1	-1.4	1.3	315.	422.	6.2	88.	3.0	2.1	18.5	88.0	-608.0

13	45	4.7	2.3	-3.1	-1.9	1.6	307.	432.	7.5	82.	2.5	-3.3	23.3	93.7	-825.9
13	50	4.1	3.3	-1.6	1.3	1.1	335.	423.	7.3	133.	1.3	-2.4	22.0	4.1	553.8
13	55	4.2	3.5	-1.1	1.8	0.6	343.	424.	7.3	129.	0.2	-2.5	21.8	0.7	783.3
14	0	4.2	3.8	-1.4	1.0	0.6	340.	426.	7.5	137.	-0.1	-1.7	22.8	6.5	412.7
14	5	4.5	4.3	-1.0	0.8	0.4	347.	426.	7.8	147.	-0.2	-2.0	23.6	5.9	330.0
14	10	4.4	4.3	-0.9	0.6	0.3	349.	424.	8.4	155.	-0.8	-3.1	25.1	7.4	254.8
14	15	4.4	4.1	-1.3	0.5	0.5	343.	423.	7.8	157.	-0.4	-3.8	23.3	15.2	224.8
14	20	4.0	3.7	-1.2	0.6	0.7	342.	420.	6.8	86.	-0.3	-3.6	20.0	10.1	239.7
14	25	4.4	4.0	-1.2	0.7	0.7	343.	426.	7.6	131.	-0.6	-1.9	22.9	8.3	314.0
14	30	4.1	3.7	-1.4	0.6	1.0	339.	424.	7.3	137.	-1.1	-3.5	21.8	13.5	234.3
14	35	3.9	2.9	-1.9	0.5	1.3	328.	422.	6.1	98.	-0.8	-4.0	18.2	14.1	209.6
14	40	4.2	3.3	-2.2	0.3	1.1	327.	415.	6.9	99.	1.6	-1.9	19.8	25.2	116.8
14	45	4.2	1.6	-3.1	-0.5	2.1	298.	410.	7.8	68.	1.4	-1.9	22.0	34.5	-208.6
14	50	3.3	0.8	-2.9	-1.4	0.6	286.	418.	7.5	93.	1.7	-2.0	21.8	45.5	-565.8
15	15	3.9	2.9	-1.6	0.6	1.7	331.	415.	6.7	81.	0.4	-0.4	19.3	9.5	261.2
15	20	3.5	2.9	-1.4	0.6	1.1	334.	414.	7.0	64.	0.8	-2.3	20.0	8.2	249.9
15	25	3.9	3.1	-1.8	1.2	0.7	330.	414.	6.6	68.	0.9	-1.9	18.9	5.5	513.7
15	30	3.8	3.0	-1.7	1.1	0.8	330.	415.	6.3	85.	0.9	-1.5	18.0	6.0	457.0
15	35	3.8	3.2	-1.8	1.0	0.3	330.	413.	6.7	56.	1.1	-2.5	19.0	8.2	408.1
15	40	4.2	3.5	-1.9	1.1	0.1	331.	415.	6.7	84.	1.0	-1.5	19.3	9.1	460.0
15	45	4.1	3.5	-1.8	1.3	0.2	333.	416.	7.4	150.	1.0	-1.3	21.3	5.9	538.5
15	50	4.2	3.6	-1.6	1.3	0.2	336.	415.	6.7	85.	1.0	-1.1	19.3	4.9	540.3
15	55	4.1	3.6	-1.4	1.2	0.1	338.	415.	6.1	49.	1.1	-0.7	17.5	4.6	490.2
16	0	4.0	3.6	-1.6	1.1	0.2	336.	415.	6.2	62.	1.0	-1.1	17.9	6.3	449.8

APR. 13, 1977 IMP-J POSITION IN GSM COORDINATES: X(11.3); Y(-25.3); Z(-11.0) Page 8

		--- MAGNETIC FIELD (GSM COORD.) ---						---------- PLASMA ----------					PRESS*	EPSLN*	
HR	MN	BMAGN	Bx	By	Bz	SIGMA	PHI	V	N	T/1000	PHI	THETA	10e9	10e-16	Bz*V
16	5	4.0	3.4	-1.7	1.2	0.2	333.	414.	6.2	63.	0.7	-1.4	17.6	5.8	508.2
16	10	4.1	3.9	-0.9	0.9	0.6	347.	412.	6.0	48.	0.8	-0.2	17.1	2.9	359.1
16	15	4.4	3.7	-1.5	1.7	0.5	338.	413.	6.1	54.	0.9	-0.8	17.4	2.6	698.4
16	20	4.3	3.8	-1.5	1.4	0.1	339.	413.	5.9	52.	0.9	-0.1	16.9	3.5	587.8
16	25	4.2	3.7	-1.6	1.2	0.3	337.	413.	5.9	51.	0.8	-0.5	16.7	5.4	510.3
16	30	4.1	3.5	-1.9	1.2	0.3	332.	415.	6.5	55.	1.3	3.4	18.7	7.2	509.2
16	35	3.7	3.0	-1.6	1.3	0.6	333.	412.	6.7	55.	1.1	1.5	18.9	3.5	551.9
16	40	4.1	3.6	-1.4	1.3	0.3	338.	413.	5.9	54.	1.2	0.7	16.7	3.6	547.1
16	45	4.2	3.8	-1.4	1.1	0.2	340.	413.	5.9	51.	0.7	0.2	16.9	4.9	474.7
16	50	4.0	3.6	-1.3	1.3	0.3	339.	411.	6.6	53.	1.1	-0.4	18.5	3.2	529.9
16	55	3.9	3.5	-1.6	0.8	0.5	336.	412.	6.1	52.	0.8	-2.4	17.4	9.6	321.6
17	0	4.4	3.9	-1.7	0.8	0.7	336.	413.	6.3	50.	0.5	-0.9	18.0	13.7	318.7
17	5	3.5	3.1	-1.4	0.7	0.5	336.	408.	6.5	64.	0.6	-4.0	18.0	7.7	267.0
17	10	3.4	1.8	-0.8	1.5	2.3	336.	407.	7.2	64.	1.3	-2.4	19.8	0.1	611.0
17	15	3.3	2.7	-1.2	1.3	0.7	337.	410.	8.6	76.	-0.1	-0.3	24.1	1.4	529.3
17	20	3.8	3.2	-1.6	-0.2	1.0	334.	416.	5.4	60.	0.4	2.1	15.8	32.0	-63.5
17	25	4.1	3.5	-1.6	0.1	1.0	336.	410.	6.2	71.	0.8	-0.6	17.4	27.7	31.8
17	30	3.8	3.3	-1.5	0.0	1.0	335.	408.	5.7	70.	0.6	1.7	15.8	24.8	17.8
17	35	3.7	3.1	-1.5	0.2	0.9	334.	408.	4.8	82.	2.1	0.7	13.3	19.3	65.3
17	40	4.3	3.9	-1.5	0.3	0.7	338.	410.	6.5	62.	2.0	-0.3	18.4	24.8	104.5
17	45	4.6	4.2	-1.8	0.4	0.7	336.	407.	7.0	58.	2.0	-3.9	19.4	28.0	142.8
17	50	5.4	4.9	-2.0	0.6	0.5	337.	406.	8.7	67.	1.3	-2.8	23.8	30.1	243.5
17	55	4.0	3.7	-1.4	0.6	0.4	339.	400.	9.1	79.	1.1	-2.7	24.4	11.7	239.6
18	0	4.2	3.9	-1.4	0.9	0.3	340.	409.	7.2	70.	-0.1	-1.1	20.2	7.6	373.3
18	5	3.7	3.1	-1.7	0.7	0.7	332.	406.	6.5	67.	0.4	-1.3	18.0	10.1	280.3
18	10	3.8	3.3	-1.5	0.4	0.7	335.	410.	5.8	75.	-0.3	-0.5	16.4	15.1	153.8
18	15	4.1	3.5	-1.6	0.2	1.0	336.	407.	6.4	79.	-0.4	-1.9	17.7	23.3	82.7

18	20	4.0	3.8	-0.9	0.8	0.5	347.	405.	7.4	79.	0.2	0.7	20.4	4.0	305.7
18	25	4.1	3.8	-1.0	0.6	0.6	346.	404.	7.2	79.	0.1	-2.1	19.7	6.4	261.0
18	30	4.0	3.7	-0.9	0.4	0.7	346.	408.	6.0	58.	-0.3	-0.9	16.7	12.6	143.8
18	35	4.0	3.8	-0.7	-0.0	0.8	350.	407.	6.5	61.	-0.3	0.8	18.0	31.4	-7.9
18	40	3.8	3.4	-0.5	-0.2	1.1	351.	408.	5.7	65.	-2.0	0.0	15.9	44.8	-86.0
18	45	4.0	3.7	-0.3	-0.1	1.1	355.	405.	6.1	62.	-0.3	-0.1	16.7	55.9	-58.1
18	50	3.6	3.3	-0.5	-0.2	0.9	352.	404.	6.0	62.	-0.3	1.0	16.4	44.7	-80.1
18	55	3.8	3.6	-0.4	-0.2	0.8	353.	406.	6.1	65.	0.1	1.1	16.8	53.2	-77.1
19	0	3.7	3.5	-0.4	-0.1	0.8	353.	405.	6.2	73.	-0.7	1.0	16.9	41.0	-47.8
19	5	4.2	4.1	-0.1	0.1	0.8	359.	407.	7.6	65.	-0.1	1.3	21.0	0.2	56.1
19	10	4.3	4.2	-0.0	-0.3	0.6	359.	406.	7.3	55.	-0.3	1.4	20.1	144.0	-116.9
19	15	4.5	4.4	0.2	0.2	0.7	3.	405.	7.6	59.	0.6	0.1	20.8	3.7	87.1
19	20	4.3	4.2	0.2	-0.0	0.5	3.	405.	7.4	63.	0.1	0.6	20.2	41.0	-6.0
19	25	4.4	4.3	0.0	-0.3	0.4	0.	405.	7.6	64.	1.3	1.5	20.8	152.4	-140.5
19	30	4.0	4.0	0.5	0.0	0.6	7.	401.	8.4	76.	0.7	1.0	22.6	30.8	3.7
19	35	3.7	3.7	0.2	0.3	0.3	4.	397.	9.6	82.	0.9	-0.0	25.2	1.3	119.3
19	40	3.8	3.7	-0.3	0.1	0.4	355.	400.	8.4	78.	0.8	-1.1	22.3	13.6	40.2
19	45	3.5	3.4	-0.8	-0.1	0.4	346.	398.	9.2	84.	0.7	1.2	24.4	27.9	-23.0
19	50	3.2	2.9	-1.2	-0.9	0.8	338.	398.	8.3	77.	0.3	-1.2	22.0	29.1	-13.2
19	55	3.3	2.6	-1.7	-0.1	0.8	327.	399.	6.9	75.	2.0	-1.6	18.4	20.9	-30.4
20	0	4.3	3.5	-1.9	1.4	1.0	332.	398.	9.5	81.	2.2	-0.4	25.2	5.8	551.5
20	5	3.7	2.5	-1.8	-0.8	0.8	328.	404.	7.4	69.	3.0	2.3	20.1	47.6	-315.7
20	10	4.5	3.6	-2.5	-0.6	0.8	325.	402.	7.3	84.	3.7	1.4	19.6	57.2	-225.8
20	15	5.3	3.9	-3.3	-1.0	0.9	320.	399.	9.6	81.	3.2	0.8	25.6	90.3	-409.2
20	20	5.2	4.4	-2.2	0.5	1.3	334.	387.	11.2	95.	2.6	-0.7	28.0	28.6	190.5
20	25	4.9	4.5	-1.8	0.8	0.4	338.	390.	10.1	95.	1.5	1.8	25.7	17.2	304.2
20	30	4.8	4.3	-2.2	0.3	0.2	333.	388.	9.4	89.	1.9	1.5	23.7	34.6	100.7
20	35	4.0	3.8	-2.5	-0.4	1.0	321.	384.	10.5	91.	2.9	2.0	25.9	48.1	-160.9
20	40	3.3	2.6	-1.8	-0.0	0.8	325.	385.	11.7	103.	1.1	1.4	29.0	20.1	-13.2
20	45	3.6	3.1	-1.5	0.4	1.0	334.	386.	10.5	92.	0.3	0.5	26.1	12.0	162.3

APR. 13, 1977 IMP-J POSITION IN GSM COORDINATES: X(13.9); Y(-19.3); Z(-17.3) Page 9

		--- MAGNETIC FIELD (GSM COORD.) ---						---------- PLASMA ----------					PRESS=	EPSLN=	
HR	MN	BMAGN	Bx	By	Bz	SIGMA	PHI	V	N	T/1000	PHI	THETA	10e9	10e-16	Bz=V
20	50	4.2	3.5	-1.9	0.8	0.9	332.	390.	10.3	94.	0.4	1.3	26.2	11.5	323.5
20	55	4.3	3.6	-2.1	0.6	0.3	330.	388.	10.6	96.	0.8	1.7	25.6	17.7	244.6
21	0	4.2	3.7	-1.7	0.8	0.7	335.	389.	10.1	98.	-0.7	1.9	25.5	11.1	309.3
21	5	3.5	3.1	-1.5	0.2	0.3	334.	386.	10.5	86.	1.4	2.0	26.1	18.6	62.2
21	10	4.2	3.6	-1.9	0.1	0.8	332.	385.	10.4	88.	1.2	2.5	25.7	28.6	38.0
21	15	3.2	2.6	-1.4	-0.2	1.0	332.	387.	10.9	93.	1.6	2.0	27.3	21.6	-76.5
21	20	3.1	2.3	-1.4	-0.7	1.3	327.	384.	9.6	92.	1.6	1.0	23.6	29.7	-258.9
21	25	2.9	1.3	-1.6	-1.7	1.2	309.	387.	10.5	73.	1.5	2.5	26.3	40.0	-645.3
21	30	3.4	1.5	-2.1	-1.5	1.7	306.	380.	12.7	92.	1.8	1.4	30.6	41.5	-553.2
21	35	4.3	3.5	-2.3	0.9	0.6	327.							15.4	352.3
21	40	4.4	3.5	-2.5	0.8	0.5	325.							17.7	339.9
22	15	1.0	-0.0	-0.8	0.2	0.6	268.	391.	13.3	68.	-0.2	-2.7	34.0	0.7	93.8
22	20	1.9	0.4	-0.9	-0.3	1.5	293.	400.	14.7	84.	0.9	0.7	39.3	3.7	-133.8
22	25	1.9	-0.6	-1.1	0.2	1.5	244.	399.	13.1	72.	0.2	1.6	34.8	2.3	71.3
22	30	2.3	-0.6	-1.9	0.5	1.0	253.	402.	13.4	71.	0.6	2.3	36.2	5.2	183.7
22	35	1.8	-0.3	-1.6	0.4	0.7	261.	400.	15.2	62.	1.2	1.6	40.6	3.1	176.2
22	40	2.1	-0.1	-1.9	0.7	0.3	267.	399.	15.5	64.	0.4	0.5	41.2	3.6	285.7
22	45	2.4	-0.4	-1.9	1.2	0.9	258.	398.	15.8	63.	1.1	0.5	41.8	2.1	467.4
22	50	2.9	-0.7	-2.7	0.6	0.7	256.	398.	14.8	62.	0.6	-0.7	39.2	9.8	255.3
22	55	3.2	-0.8	-3.0	0.7	0.5	256.	400.	14.9	64.	1.2	1.1	39.8	11.9	286.3
23	0	3.7	0.6	-3.2	1.3	1.3	280.	402.	13.8	65.	0.9	1.1	37.2	9.9	508.7

23	5	5.1	2.8	-3.3	2.6	0.5	311.	406.	11.6	69.	0.2	1.3	31.9	7.3	1053.2
23	10	4.6	-0.2	-3.7	1.1	2.4	287.	395.	12.1	74.	0.6	0.6	31.5	15.4	437.3
23	15	5.3	-4.2	-2.6	-1.4	0.8	212.	394.	11.8	74.	1.0	1.9	29.0	113.8	-553.5
23	20	5.6	-4.6	-1.6	-2.7	0.7	199.	400.	11.0	78.	0.4	1.4	29.4	213.8	-1074.1
23	25	5.3	-3.9	-2.8	-2.1	0.8	216.	396.	11.3	78.	0.3	1.8	29.6	139.0	-819.1
23	30	5.0	-2.8	-3.7	-1.5	0.9	232.	401.	11.5	81.	0.5	1.2	30.9	89.2	-586.4
23	35	4.8	-3.7	1.7	-1.5	2.3	155.	411.	11.0	77.	-0.6	0.5	31.0	106.9	-814.1
23	40	6.2	-4.2	4.2	-1.7	0.4	136.	410.	10.7	69.	-0.8	0.4	30.0	145.8	-888.6
23	45	6.2	-3.6	4.4	-2.3	0.4	129.	413.	10.9	70.	-1.0	0.1	31.0	166.5	-952.5
23	50	6.3	-3.9	3.9	-2.5	1.6	135.	416.	10.9	73.	-1.5	0.3	31.5	184.1	-1055.4
23	55	5.7	-3.7	3.3	-2.9	0.4	138.	417.	11.9	71.	-2.0	-0.8	34.6	185.6	-1188.9

		--- MAGNETIC FIELD (GSM COORD.) ---						--- PLASMA ---					PRESS*	EPSLN*	
HR	MN	BMAGN	Bx	By	Bz	SIGMA	PHI	V	N	T/1000	PHI	THETA	10e9	10e-16	BzxV
0	0	5.7	-3.6	1.5	-4.1	0.5	157.	416.	11.7	68.	-2.4	-0.1	33.8	250.4	-1716.1
0	5	5.6	-3.4	1.6	-4.1	0.4	155.	415.	11.6	65.	-2.1	-0.1	33.4	237.6	-1697.3
0	10	5.1	-3.2	1.2	-3.8	0.6	160.	413.	11.5	70.	-1.9	-0.6	32.8	205.4	-1578.8
0	15	5.4	-3.2	0.9	-4.2	0.6	163.	414.	11.1	57.	-2.1	-1.4	31.8	234.3	-1756.7
0	20	5.3	-2.9	1.3	-4.1	0.8	156.	414.	11.3	55.	-1.7	-1.6	32.3	212.5	-1698.5
0	25	4.8	-2.6	0.9	-2.7	1.2	161.	408.	12.4	72.	-1.9	0.8	34.5	113.0	-1084.6
0	30	5.6	-3.4	2.1	-3.7	1.3	148.	406.	9.6	67.	-1.2	2.4	26.5	210.4	-1498.3
0	35	5.1	-2.8	2.4	-3.3	1.4	139.	426.	9.4	77.	-8.4	-0.7	28.5	167.7	-1385.9
0	40	5.0	-2.9	-0.7	-2.8	2.8	193.	419.	12.8	80.	-0.7	1.5	37.5	136.3	-1177.5
0	45	4.5	-3.3	-0.9	-2.4	1.8	195.	415.	13.0	70.	-1.2	1.7	37.4	132.1	-976.3
0	50	3.2	-1.8	0.5	-2.4	1.3	164.	414.	14.1	71.	-1.1	1.5	40.4	73.8	-988.3
0	55	3.7	-2.3	0.1	-2.8	0.7	179.	411.	13.4	70.	-0.6	2.2	37.8	110.1	-1166.1
1	0	3.1	-2.2	0.2	-2.1	0.5	176.	417.	14.6	70.	-0.8	1.8	42.4	75.2	-866.0
1	5	3.4	-2.1	-0.2	-2.4	1.0	186.	415.	14.0	70.	-1.0	1.8	40.3	86.1	-1009.0
1	10	3.4	-2.0	-0.5	-2.7	0.5	194.	411.	13.9	74.	-1.4	1.8	39.2	91.6	-1097.5
1	15	3.4	-2.9	0.1	-1.7	0.5	178.	416.	14.0	65.	-0.6	1.8	40.5	95.7	-703.7
1	20	3.2	-2.7	-0.4	-1.7	0.2	189.	415.	13.9	67.	-1.0	2.0	40.0	84.7	-707.3
1	25	3.3	-2.8	-0.3	-1.4	0.7	185.	415.	13.7	66.	-0.8	1.8	39.4	82.4	-591.8
1	30	3.0	-2.8	0.3	-1.0	0.3	174.	415.	14.1	66.	-0.5	2.1	40.6	70.5	-428.2
1	35	3.0	-2.7	0.8	-1.1	0.3	164.	416.	14.0	75.	-0.2	2.4	40.5	62.6	-455.9
1	40	3.3	-3.2	-0.2	-0.3	0.7	184.	416.	13.1	68.	-0.9	2.2	37.9	65.0	-107.4
1	45	3.0	-3.0	0.1	-0.3	0.3	178.	414.	13.1	67.	-0.2	2.4	37.5	71.8	-112.0
1	50	3.4	-3.4	-0.0	-0.3	0.2	180.	415.	12.8	71.	-0.1	2.9	36.8	93.2	-108.2
1	55	3.6	-3.5	0.1	0.1	0.6	178.	417.	12.6	81.	0.5	2.6	36.6	11.3	22.5
2	0	3.5	-3.3	-0.3	0.6	1.1	186.	421.	13.6	100.	0.9	2.6	40.3	0.4	241.1
2	5	3.7	-3.2	-0.3	1.6	0.7	185.	417.	13.1	81.	-0.1	2.2	38.0	0.0	663.0
2	10	3.5	-2.4	-1.0	2.3	0.6	203.	411.	11.9	74.	-0.8	3.7	33.6	0.2	947.3
2	15	3.6	-2.1	-1.2	2.4	0.7	210.	409.	12.3	74.	-0.6	3.8	34.4	0.3	992.6
2	20	3.6	-1.6	-2.2	2.1	1.1	235.	412.	12.8	73.	-1.0	3.4	36.3	2.3	884.1
2	25	3.6	-2.7	-1.8	-0.5	1.4	213.	419.	12.9	66.	-1.6	3.4	37.8	38.2	-225.3
2	30	4.0	-1.8	-1.7	3.0	0.4	223.	414.	11.8	65.	-0.8	3.6	33.8	0.6	1258.5
2	35	3.5	-1.7	-1.8	2.4	0.4	227.	415.	11.3	64.	-0.8	3.0	32.5	1.0	1005.4
2	40	3.6	-2.2	-1.9	2.1	0.4	221.	417.	12.1	67.	-1.3	3.9	35.1	1.7	886.0
2	45	3.7	-2.9	-0.9	2.0	0.5	198.	418.	12.1	67.	-1.6	3.6	35.3	0.2	848.7
2	50	4.0	-3.2	0.1	2.3	0.6	179.	414.	11.5	69.	-0.9	3.4	32.9	0.0	961.9
2	55	4.1	-3.3	0.3	1.7	1.4	175.	417.	14.0	60.	-1.6	2.4	40.7	0.0	717.6
3	0	4.4	1.8	-3.8	-0.8	0.9	295.	396.	13.0	57.	-2.8	2.5	34.0	54.0	-325.9
3	5	4.6	1.7	-4.2	-0.2	0.6	292.	399.	12.6	51.	-2.9	2.4	33.5	46.8	-94.2
3	10	4.7	1.7	-4.4	0.4	0.2	291.	399.	12.1	50.	-3.0	1.8	32.2	36.1	161.1
3	15	4.6	1.5	-4.3	0.5	0.5	289.	398.	12.4	51.	-3.0	2.2	32.8	32.9	200.2
3	20	4.4	1.0	-4.2	0.9	0.2	283.	404.	13.8	56.	-3.4	2.5	37.6	25.5	343.7
3	25	3.9	0.5	-3.8	0.3	0.7	278.	404.	13.2	53.	-3.4	3.2	36.0	24.4	135.9

3	30	3.5	-0.5	-3.0	1.5	0.3	281.	403.	13.1	53.	-3.6	2.6	35.5	7.2	617.8
3	35	3.9	-0.5	-3.6	1.2	0.6	283.	421.	12.2	56.	-10.5	-1.5	36.1	15.0	608.3
3	40	4.2	-0.5	-4.0	0.8	0.4	282.	404.	13.0	46.	-3.4	2.7	35.4	22.5	323.7
3	45	4.4	-0.6	-4.3	0.6	0.3	282.	403.	12.3	43.	-3.4	2.4	33.4	28.9	221.7
3	50	4.2	-0.4	-4.1	0.3	0.4	285.	403.	13.1	43.	-3.3	3.2	35.5	30.7	106.0
4	15	4.0	0.1	-3.7	1.4	0.2	271.	405.	13.1	43.	-3.6	2.7	35.9	13.7	549.0
4	20	3.7	0.1	-3.4	1.2	0.4	271.	403.	13.3	45.	-3.4	2.1	36.1	12.2	476.7
4	25	3.8	0.8	-3.2	1.6	1.1	284.	399.	13.0	45.	-3.1	2.9	34.6	7.8	641.9
4	30	4.1	0.7	-3.4	1.9	0.7	281.	399.	12.7	45.	-3.1	3.0	33.8	8.5	755.0
4	35	4.2	0.7	-2.5	3.2	0.8	286.	398.	12.9	45.	-2.2	2.8	34.1	1.5	1262.4
4	40	4.1	2.1	-0.3	2.9	1.9	353.	393.	13.4	53.	-1.5	2.5	34.6	0.0	1140.9
4	45	4.2	3.3	-1.3	1.9	1.3	339.	386.	14.0	70.	-2.0	2.3	34.8	0.9	740.8
4	50	4.3	0.7	-3.8	1.3	1.3	281.	400.	13.1	45.	-3.5	2.7	35.0	14.8	533.2
4	55	4.4	-0.6	-4.3	0.9	0.5	281.	401.	12.8	43.	-4.1	1.5	34.4	25.1	342.3

APR. 14, 1977 IMP-J POSITION IN GSM COORDINATES: X(17.7); Y(-16.9); Z(-15.2) Page 11

		--- MAGNETIC FIELD (GSM COORD.) ---						---------- PLASMA ----------					PRESS:	EPSLM:	
HR	MN	BMAGN	Bx	By	Bz	SIGMA	PHI	V	N	T/1000	PHI	THETA	10**9	10**-16	Bz*V
5	0	4.3	1.9	-3.8	-0.3	0.7	296.	404.	13.4	53.	-4.2	1.3	36.5	42.3	-118.6
5	5	4.5	1.4	-3.7	1.8	1.2	290.	399.	13.6	48.	-3.9	3.1	36.2	11.7	727.7
5	10	4.8	1.8	-4.1	0.3	1.6	293.	396.	13.8	48.	-4.0	2.0	36.1	34.5	130.5
5	15	4.6	1.9	-4.1	-0.7	0.4	284.	397.	13.8	48.	-4.2	1.7	36.3	58.0	-296.7
5	20	4.5	0.4	-4.5	0.1	0.7	275.	401.	13.6	46.	-4.2	1.9	36.5	37.7	55.5
5	25	4.6	1.2	-4.3	-0.4	0.8	286.	400.	13.5	47.	-4.1	1.8	36.1	48.8	-164.1
5	30	4.6	1.6	-4.2	-1.1	0.7	291.	395.	13.3	49.	-4.2	0.9	34.7	65.3	-432.9
5	35	5.0	2.3	-4.2	-1.5	0.5	299.	396.	15.7	51.	-4.3	0.8	41.1	90.2	-607.4
5	40	4.7	2.0	-4.0	-1.4	0.6	297.	396.	14.3	49.	-4.4	1.1	37.4	75.2	-540.3
5	45	4.2	1.3	-3.9	-0.9	0.3	288.	400.	13.6	44.	-4.6	1.8	36.3	53.6	-359.2
5	50	4.2	0.8	-4.1	-0.6	0.2	282.	399.	13.8	44.	-4.6	1.7	36.7	45.3	-222.4
5	55	4.1	2.4	-2.8	-1.0	1.5	311.	389.	10.6	33.	-4.2	3.0	26.8	51.1	-391.6
6	0	4.1	0.6	-3.8	-0.2	1.5	279.	394.	12.8	46.	-3.9	2.1	33.2	31.2	-64.2
6	5	5.0	0.5	-4.9	0.5	0.5	276.	391.	12.6	45.	-3.8	2.2	32.2	37.9	209.7
6	10	5.1	0.4	-5.0	-0.9	0.4	275.	391.	12.2	45.	-3.5	1.5	31.1	70.6	-362.7
6	15	5.2	0.5	-5.0	-1.0	0.9	276.	391.	11.1	45.	-3.6	0.0	28.3	73.7	-396.4
6	20	5.6	0.6	-5.4	-1.2	0.6	277.	389.	11.5	42.	-3.8	1.2	29.1	87.6	-451.4
6	25	5.2	0.5	-4.7	-2.1	0.4	276.	386.	11.9	42.	-3.9	1.1	29.6	102.8	-829.8
7	0	3.8	-0.7	-3.7	-0.2	0.1	259.	390.	14.6	39.	-4.5	1.8	37.1	29.9	-63.2
7	5	3.8	-0.8	-3.6	-0.3	0.5	258.	388.	15.1	38.	-4.5	0.2	38.0	32.1	-125.0
7	10	3.9	-1.5	-3.6	-0.5	0.3	248.	388.	15.7	35.	-4.8	0.6	39.5	38.4	-193.4
7	15	4.0	-1.6	-3.6	-0.5	0.4	246.	387.	15.7	37.	-4.6	0.4	39.3	39.8	-195.5
7	20	4.4	-1.1	-3.6	-1.1	2.0	253.	387.	14.0	41.	-4.5	-0.4	35.0	51.1	-442.0
7	25	4.5	2.2	-2.8	-2.7	0.4	308.	386.	13.3	45.	-4.9	0.2	33.1	109.3	-1044.5
7	30	4.2	1.0	-2.8	-2.7	1.0	289.	392.	14.3	44.	-4.9	-0.7	36.7	92.9	-1071.5
7	35	4.5	3.0	-2.1	-2.4	1.1	325.	383.	14.1	56.	-4.5	-0.7	34.5	112.3	-918.9
7	40	5.5	2.9	-2.5	-3.1	2.2	319.	392.	14.1	65.	-4.5	-5.3	36.2	151.8	-1214.2
7	45	6.2	-0.2	-2.5	-5.6	0.8	265.	391.	11.9	46.	-4.5	-3.6	30.4	268.1	-2186.9
7	50	6.4	-1.2	-1.4	-6.0	0.7	229.	382.	10.3	43.	-4.6	-3.8	25.1	298.3	-2308.3
7	55	6.3	-2.4	-0.8	-5.8	0.5	199.	386.	10.1	44.	-4.6	-3.7	25.1	305.8	-2229.9
8	0	5.7	-1.6	-0.3	-5.4	0.9	190.	383.	11.0	43.	-4.7	-1.5	26.9	241.4	-2054.1
8	5	5.5	2.3	-0.2	-4.9	1.1	355.	376.	13.1	39.	-4.5	-2.8	30.9	220.2	-1847.1
8	10	6.3	0.6	1.8	-5.9	0.3	71.	381.	10.6	42.	-4.3	-4.6	25.7	284.7	-2265.9
8	15	6.2	1.0	2.3	-5.6	0.6	66.	381.	10.8	41.	-4.3	-2.5	26.2	263.4	-2118.6
8	20	6.1	1.9	3.1	-4.9	0.4	58.	376.	12.3	39.	-4.1	-1.7	29.0	235.9	-1826.7
8	25	6.1	1.8	3.8	-4.5	0.4	64.	376.	11.9	38.	-4.4	-3.2	28.1	219.6	-1681.0

8	30	6.2	1.5	4.4	-4.0	0.5	71.	378.	11.8	40.	-3.9	-1.1	26.7	199.6	-1515.4
8	35	6.0	1.4	4.9	-3.1	0.3	74.	378.	10.9	40.	-4.4	-0.7	25.0	159.3	-1188.4
8	40	5.6	1.4	4.9	-2.5	0.5	74.	377.	11.2	34.	-4.8	-3.2	26.6	126.7	-938.8
8	45	5.1	1.3	4.8	-0.3	0.9	75.	377.	13.4	34.	-4.4	-1.1	31.8	53.8	-125.3
8	50	5.0	1.6	4.7	-0.5	0.7	71.	374.	11.2	32.	-3.7	-3.1	26.2	56.3	-191.9
8	55	4.5	0.9	4.2	0.8	0.7	78.	376.	13.4	32.	-4.5	-3.1	31.6	24.6	296.9
9	0	4.3	0.6	3.6	0.6	2.1	80.	375.	12.9	33.	-3.9	-1.9	30.3	17.8	227.4
9	5	3.0	-0.7	-1.1	-2.5	0.9	237.	378.	14.0	42.	-5.1	-3.6	33.6	56.6	-960.4
9	10	3.4	-0.9	-2.6	-2.1	0.4	251.	378.	14.0	35.	-5.1	-1.2	33.4	58.2	-781.8
9	15	3.8	-1.1	-3.2	-1.8	0.3	251.	377.	13.8	32.	-5.1	-0.3	32.8	61.4	-678.9
9	20	3.7	-0.5	-2.6	-2.5	0.7	259.	376.	13.3	32.	-5.1	-2.3	31.4	71.4	-937.0
9	25	3.9	-0.9	-3.2	-2.0	0.7	254.	375.	13.6	30.	-4.8	-2.6	31.9	65.1	-741.2
9	30	3.9	-1.0	-3.3	-1.9	0.2	252.	375.	13.8	30.	-4.9	-1.9	32.4	63.8	-695.5
9	35	3.9	-1.2	-3.6	-0.9	0.5	251.	375.	13.4	30.	-4.8	-2.5	31.5	43.6	-328.8
9	40	4.0	-1.3	-3.8	-0.3	0.3	250.	374.	13.1	29.	-4.8	-3.9	30.6	36.0	-129.2
9	45	3.9	-1.1	-3.7	-0.6	0.3	253.	375.	14.1	30.	-5.0	-2.8	33.1	37.4	-218.1
9	50	3.1	0.5	-1.4	-2.7	0.5	288.	373.	14.3	30.	-4.5	-3.0	33.2	61.8	-995.4
9	55	2.9	-0.7	-2.1	-1.5	1.0	252.	374.	15.6	29.	-5.2	-3.8	36.4	34.4	-568.0
10	0	2.5	-1.0	-2.2	-0.8	0.4	246.	375.	16.1	28.	-5.3	-1.0	37.8	21.5	-300.8
10	5	2.3	0.2	0.4	-1.8	1.3	56.	371.	14.7	32.	-4.5	-3.7	33.8	26.0	-682.4

APR. 14, 1977 IMP-J POSITION IN GSM COORDINATES: X(19.6); Y(-15.7); Z(-13.6) Page 12

		--- MAGNETIC FIELD (GSM COORD.) ---					---------- PLASMA ----------					PRESS*	EPSLN*	
HR	MN	BMAGN	Bx	By	Bz	SIGMA	PHI	V	N	T/1000	PHI	THETA	10e9	10e-16	BzxV
10	10	2.7	0.2	-0.9	-1.1	2.2	280.	372.	15.2	31.	-4.2	-3.5	35.1	12.6	-416.8
10	15	3.5	-0.4	-3.4	-0.1	0.7	263.	373.	15.4	28.	-4.2	-2.0	35.8	22.0	-19.3
10	20	3.4	1.3	-2.3	-1.7	1.1	300.	370.	14.2	30.	-4.1	-3.7	32.5	47.7	-634.7
10	25	3.5	1.5	-3.1	-0.6	0.5	296.	369.	13.9	31.	-4.5	-3.6	31.6	31.9	-236.6
10	30	3.6	0.7	-3.4	-0.7	0.7	282.	372.	14.6	28.	-5.0	-2.0	33.7	34.1	-277.6
10	35	3.4	0.5	-3.2	0.4	0.8	280.	371.	14.2	31.	-4.6	-3.6	32.6	15.0	157.3
10	40	3.4	0.3	-3.2	0.9	0.6	275.	370.	13.6	33.	-5.0	-2.1	31.1	10.9	329.2
10	45	3.4	0.0	-3.2	-0.0	1.1	271.	373.	14.0	30.	-4.8	-2.8	32.5	19.9	-16.9
10	50	3.8	-1.4	-3.5	0.6	0.2	248.	375.	14.0	30.	-4.6	-3.2	32.9	18.2	231.3
10	55	3.8	-1.6	-3.4	0.5	0.2	245.	376.	13.7	32.	-4.6	-2.8	32.3	19.5	200.3
11	0	3.9	-0.6	-3.7	0.3	0.9	260.	374.	13.1	31.	-4.5	-2.7	30.6	22.2	109.3
11	5	4.0	0.9	-3.9	-0.4	0.4	282.	372.	11.4	35.	-4.6	-4.3	26.3	36.9	-165.9
11	10	3.5	0.6	-3.3	-0.8	0.5	280.	370.	12.9	36.	-4.8	-4.3	25.5	33.8	-311.1
11	15	3.7	0.5	-3.5	-0.7	0.6	277.	382.	12.9	31.	-4.4	-2.7	31.4	35.9	-269.9
11	20	3.6	0.9	-3.3	-1.0	0.4	286.	373.	14.1	30.	-4.4	-1.8	30.8	39.8	-382.4
11	25	2.4	1.4	0.4	-0.8	1.7	15.	370.	14.5	39.	-3.2	-3.2	33.2	19.3	-313.2
11	30	2.7	2.2	1.4	-0.7	0.4	31.	369.	14.0	39.	-3.8	-2.5	31.8	27.7	-240.9
11	35	2.7	2.2	1.3	-0.4	0.6	31.	368.	14.4	39.	-3.2	-3.4	32.6	20.1	-137.4
11	40	3.3	1.9	2.5	-0.7	0.7	53.	370.	13.6	35.	-3.5	-1.3	31.1	30.5	-249.0
11	45	3.5	1.5	3.1	-0.9	0.3	64.	368.	12.8	38.	-3.6	-1.0	28.9	37.8	-335.1
11	50	3.6	1.9	3.0	-0.7	0.3	57.	368.	12.7	35.	-3.6	-3.2	28.7	35.8	-254.8
11	55	3.6	2.2	2.7	-0.8	0.2	51.	369.	12.9	35.	-3.8	-2.1	29.3	38.9	-284.5
12	0	3.5	2.1	2.6	-1.0	0.5	51.	369.	13.9	36.	-3.9	-3.1	31.6	41.5	-365.4
12	5	3.5	2.2	2.0	-0.9	1.7	42.	367.	14.7	38.	-4.2	-2.9	33.1	36.1	-346.4
12	10	3.7	2.5	1.4	-0.4	2.3	30.	367.	14.8	37.	-3.6	-5.6	33.3	25.8	-155.1
12	15	2.8	2.5	-0.5	-0.2	1.0	349.	365.	11.6	33.	-3.5	-6.9	25.8	21.9	-71.4
12	20	3.1	2.8	-0.5	-0.4	1.0	351.	363.	12.3	44.	-3.5	-4.8	27.1	40.6	-149.8
12	25	3.8	3.4	-0.6	-0.6	1.2	349.	364.	15.9	38.	-3.9	-4.8	35.2	65.7	-231.2
12	30	3.7	3.4	-0.7	-0.6	1.0	349.	359.	14.3	45.	-3.1	-0.3	30.8	60.9	-201.3
12	35	3.7	3.4	-0.2	-0.4	0.9	357.	362.	13.4	43.	-3.1	-1.7	29.3	79.2	-146.8
12	40	3.2	2.7	-0.1	-0.9	1.3	357.	358.	13.1	38.	-3.3	-1.4	28.0	58.0	-337.5
12	45	3.6	3.2	0.4	-1.0	1.0	8.	359.	15.1	41.	-4.3	-3.2	32.5	77.3	-364.3
12	50	3.4	2.6	-1.0	-1.2	1.5	338.	362.	14.9	32.	-4.9	-2.2	32.6	50.1	-422.8
12	55	4.3	3.2	-1.4	-1.2	2.1	337.	369.	16.0	34.	-4.3	-2.8	34.4	67.8	-442.4

13	0	4.2	3.3	-1.4	-1.0	1.6	338.	360.	15.5	35.	-3.4	-4.1	33.5	64.3	-372.0
13	5	3.5	3.0	-0.7	-0.9	1.4	346.	360.	14.4	38.	-4.7	-3.9	31.2	57.5	-319.6
13	10	3.5	3.1	-0.9	-0.5	0.9	344.	358.	16.8	38.	-4.8	-4.6	36.0	43.7	-182.1
13	15	3.2	2.8	-0.3	-0.8	1.2	35E.	360.	13.1	39.	-4.0	-3.3	28.4	58.0	-279.1
13	20	3.0	2.5	-0.4	-0.5	1.3	362.	360.	12.2	35.	-3.8	-3.6	26.4	41.7	-196.8
13	25	3.4	2.9	-0.3	-0.0	1.3	354.	362.	19.0	42.	-4.0	-2.6	41.6	21.2	-17.6
13	30	3.4	3.0	-0.3	-0.3	1.2	355.	357.	13.4	38.	-4.1	-3.8	28.5	51.6	-105.1
13	35	2.9	2.1	-0.5	-0.7	1.6	346.	359.	13.1	29.	-4.0	-4.0	28.2	30.1	-240.3
13	40	3.0	2.6	-0.6	-0.4	1.0	348.	355.	13.1	33.	-3.6	-3.1	27.6	33.7	-149.4
13	45	3.5	3.1	-0.4	-0.1	1.4	362.	365.	13.8	35.	-4.0	-5.3	29.0	27.1	-42.1
13	50	3.4	3.0	-0.3	-0.3	1.2	365.	358.	14.6	31.	-3.8	-5.8	31.2	51.0	-112.3
13	55	3.2	2.8	-0.7	-0.5	1.1	347.	350.	12.6	31.	-2.2	-4.3	25.8	37.3	-169.5
14	0	4.0	3.7	-0.9	-0.3	0.9	346.	355.	16.0	38.	-2.8	-5.3	33.7	41.8	-91.9
14	5	3.9	3.6	-0.9	-0.3	1.0	347.	357.	15.5	31.	-2.7	-3.5	33.6	42.0	-100.7
14	10	4.1	3.6	-0.8	-0.7	1.2	348.	356.	15.9	35.	-2.4	-5.3	33.7	72.3	-256.4
14	15	3.7	3.3	-0.8	-0.6	1.1	347.	355.	14.1	33.	-3.0	-5.5	29.7	57.3	-229.1
14	20	3.9	3.4	-0.8	-0.8	1.1	346.	360.	17.6	39.	-1.4	[illegible]	38.1	67.8	-299.0
14	25	3.5	3.1	-0.6	-0.1	1.1	348.	359.	12.5	30.	-1.6	[illegible]	26.9	23.8	-37.9
14	30	4.1	3.8	-0.8	-0.3	0.9	348.	360.	19.0	33.	[illegible]	[illegible]	41.1	53.3	-119.6
14	35	3.7	3.5	-0.5	-0.3	0.9	351.	358.	15.4	30.	[illegible]	[illegible]	33.0	45.7	-91.3
14	40	3.7	3.5	-0.4	-0.0	1.0	353.	357.	15.5	35.	-2.8	-3.1	33.0	23.5	-6.3
14	45	3.5	3.4	-0.4	-0.2	0.9	353.	358.	16.4	33.	-2.7	-5.7	35.1	45.3	-79.3
14	50	3.5	3.3	-0.4	-0.0	0.9	354.	357.	16.1	36.	-3.6	-4.4	34.3	23.7	-11.4

APR. 14, 1977 IMP-J POSITION IN GSM COORDINATES: X(21.1); Y(-10.2); Z(-16.3) Page 13

		--- MAGNETIC FIELD (GSM COORD.) ---						----------- PLASMA -----------					PRESS*	EPSLN*	
HR	MN	BMAGN	Bx	By	Bz	SIGMA	PHI	V	N	T/1000	PHI	THETA	10e9	10e-16	Bz*V
14	55	3.4	3.2	-0.5	0.1	0.7	351.	359.	15.1	31.	-3.8	-3.8	32.5	15.1	18.5
15	0	3.2	2.8	-0.3	-0.0	1.2	354.	353.	14.1	32.	-3.7	-5.7	29.3	14.5	-0.6
15	5	3.2	2.8	-0.3	0.3	1.2	354.	352.	12.7	30.	-2.9	-4.5	26.3	1.7	92.8
15	10	3.3	3.0	-0.7	0.2	1.0	348.	352.	14.3	36.	-2.3	-4.7	29.6	9.1	60.2
15	15	3.1	2.9	-0.6	0.3	0.8	348.	355.	14.1	32.	-3.5	-4.8	29.7	5.3	97.3
15	20	3.5	3.2	-0.6	0.7	1.1	350.	353.	17.0	33.	-2.9	-5.3	35.4	0.9	246.5
15	25	3.6	3.3	-0.5	0.8	0.9	352.	353.	16.8	37.	-3.3	-5.8	35.0	0.4	290.7
15	30	3.5	3.1	-0.9	0.2	1.0	344.	354.	14.9	35.	-3.9	-5.0	31.2	11.8	59.6
15	35	3.6	3.3	-0.9	-0.1	0.7	344.	358.	17.9	37.	-3.9	-5.6	38.3	24.3	-20.3
15	40	3.3	3.0	-1.0	-0.5	0.7	341.	356.	18.4	41.	-3.8	-5.5	38.9	35.5	-165.1
15	45	3.4	3.0	-1.0	-0.3	1.0	342.	354.	17.7	38.	-2.5	-5.4	37.0	30.3	-113.1
15	50	3.3	2.9	-1.1	-0.4	0.6	339.	354.	17.3	36.	-2.8	-4.9	36.2	30.4	-132.2
15	55	4.1	3.4	-1.8	-1.0	0.8	331.	353.	19.5	34.	-1.6	-4.5	40.6	63.1	-368.2
16	0	4.4	3.3	-2.4	-1.5	0.6	324.	355.	21.9	38.	-2.0	-5.8	46.1	78.6	-537.1
16	5	4.4	2.8	-2.4	-2.2	1.0	320.	358.	21.6	36.	-2.1	-6.0	46.2	92.8	-783.5
16	10	4.5	1.9	-1.5	-3.7	0.5	321.	361.	20.5	32.	-2.2	-5.0	44.6	132.5	-1342.7
16	15	4.0	2.1	-0.8	-3.1	1.2	340.	360.	21.7	36.	-2.1	-5.3	47.0	99.8	-1098.7
16	20	3.8	0.5	-0.4	-2.8	2.4	322.	362.	21.2	32.	-2.0	-4.1	46.4	60.7	-1027.0
16	25	3.8	0.5	-2.4	-2.6	1.1	281.	363.	22.6	32.	-2.6	-5.0	49.7	72.0	-959.6
16	30	4.1	2.5	-2.3	1.9	1.0	317.	358.	20.9	38.	-3.0	-3.2	44.7	3.8	672.0
16	35	3.6	-0.1	-2.1	-1.0	2.5	266.							21.6	-391.1
16	40	3.5	0.2	-2.4	-2.3	1.2	274.	361.	19.9	36.	-3.0	-3.8	43.3	56.0	-814.9
16	45	4.1	-0.9	-1.6	-3.6	0.6	240.	368.	20.7	30.	-2.3	-4.2	46.8	110.0	-1324.1
16	50	4.1	-1.0	-0.5	-3.9	0.5	206.	367.	20.3	31.	-1.8	-6.0	45.7	120.9	-1437.6
16	55	3.9	-0.8	1.5	-3.1	1.4	116.	368.	20.4	32.	-0.5	-6.2	46.1	84.5	-1152.8
17	0	4.5	-0.5	1.1	-4.3	0.4	115.	364.	21.0	34.	-1.1	-5.0	46.5	142.1	-1573.9
17	5	3.8	0.5	-0.7	-0.1	3.7	305.	362.	19.0	41.	-1.1	-2.0	41.6	2.1	-51.1
17	10	4.0	1.8	-3.0	1.1	1.5	301.	364.	17.7	46.	-2.1	-3.5	39.2	10.2	413.9
17	15	3.2	-0.5	-0.8	-2.8	1.1	237.	365.	19.6	41.	-2.2	-4.2	43.6	62.4	-1031.0
17	20	3.2	[illegible]	-1.2	-2.6	1.4	252.	365.	18.7	42.	-2.5	-5.3	41.6	56.9	-961.7
17	25	2.2	-0.8	-0.9	-1.7	0.9	228.	371.	19.2	43.	-3.1	-5.5	44.1	29.4	-633.7

17	30	1.8	-0.9	-0.7	-1.3	0.6	216.	374.	18.7	44.	-2.6	-5.7	43.7	20.4	-494.7
17	55	4.1	-1.9	-2.6	-2.5	0.6	234.	373.	16.7	38.	-1.6	-4.2	38.8	89.6	-932.9
18	0	4.2	-1.9	-2.6	-2.6	0.5	234.	376.	16.2	40.	-1.7	-3.4	38.2	94.4	-979.8
18	5	4.1	-2.1	-2.7	-2.2	0.5	233.	375.	16.3	45.	-1.8	-2.0	38.3	81.7	-821.2
18	10	4.1	-1.5	-2.8	-2.6	0.4	242.	374.	17.6	43.	-2.0	-2.4	41.1	87.3	-966.8
18	15	4.4	-1.9	-2.8	-2.8	0.7	235.							113.0	-1125.6
18	20	4.9	1.8	-2.5	1.4	3.5	306.							6.2	549.9
18	25	5.1	2.4	-2.8	2.0	2.9	311.							5.8	810.0
18	30	4.9	0.0	-4.6	-0.7	1.3	271.							59.0	-292.3
18	35	5.1	-0.6	-4.5	1.2	2.0	263.							24.2	465.6
18	40	4.9	2.9	-2.2	2.7	1.7	322.							2.2	1096.5
18	45	5.0	2.8	0.3	3.9	1.3	6.							0.0	1571.0
18	50	5.3	0.1	-3.8	-2.7	2.5	272.							108.6	-1071.1
18	55	5.7	1.1	-5.0	-2.5	0.8	282.							133.7	-994.4
19	0	5.9	1.8	-5.2	-1.8	1.1	290.							118.9	-725.9
20	10	5.2	4.2	-1.8	2.3	0.7	337.	387.	10.0	120.	3.1	-4.0	25.0	2.3	895.1
20	15	5.4	4.6	-1.8	1.7	1.5	339.	389.	10.5	143.	4.1	-5.1	26.5	4.9	658.3
20	20	5.7	4.2	-3.8	0.1	0.5	318.	387.	10.0	112.	3.9	-3.1	25.0	59.5	35.5
20	25	5.8	4.2	-4.0	-0.1	0.3	317.	386.	10.2	118.	3.6	-3.5	25.4	68.8	-48.0
20	30	6.0	4.4	-3.9	-0.7	0.8	318.	385.	10.5	126.	3.6	-3.8	26.0	92.2	-254.9
20	35	5.4	3.9	-2.9	-1.9	1.4	323.	382.	9.3	131.	4.6	-4.8	22.6	126.1	-739.9
20	40	6.1	3.7	-4.1	-2.5	0.8	312.	391.	10.7	115.	5.0	-2.4	27.3	167.2	-986.9
20	45	6.0	3.9	-4.1	-1.8	0.8	313.	390.	10.5	116.	5.0	-1.4	26.7	136.1	-705.2
20	50	6.2	3.9	-4.5	-1.5	0.3	311.	391.	10.6	113.	5.1	-1.5	27.1	130.3	-597.5

APR. 14, 1977 IMP-J POSITION IN GSM COORDINATES: X(22.4); Y(0.5); Z(-17.6) Page 14

		--- MAGNETIC FIELD (GSM COORD.) ---						---------- PLASMA ----------					PRESS*	EPSLN*	
HR	MN	BMAGN	Bx	By	Bz	SIGMA	PHI	V	N	T/1000	PHI	THETA	10e9	10e-16	Bz*V
21	20	6.2	3.9	-2.9	-3.8	0.3	324.	386.	9.7	109.	5.0	-2.7	24.1	239.9	-1471.3
21	25	6.4	3.5	-2.8	-4.5	0.5	322.	387.	9.5	92.	4.3	-4.1	23.7	269.5	-1749.6
21	30	6.3	3.5	-2.7	-4.6	0.2	322.	388.	9.4	94.	3.8	-5.2	23.7	270.1	-1772.9
21	35	6.2	2.8	-2.6	-4.9	0.7	317.	388.	9.2	95.	-1.5	-4.4	25.7	278.8	-1996.1
21	40	6.5	2.6	-2.0	-5.5	0.5	322.	388.	9.4	85.	4.3	-4.6	23.6	302.8	-2146.7
21	45	6.0	3.4	-1.8	-4.6	0.9	332.	388.	9.4	89.	4.9	-4.1	23.6	257.6	-1778.4
21	50	5.4	1.8	-0.8	-4.9	0.9	337.	389.	10.9	85.	3.7	-4.5	27.5	216.3	-1915.5
21	55	5.8	2.6	-1.5	-4.8	1.1	331.	387.	10.1	88.	3.7	-3.3	25.3	237.0	-1855.5
22	0	6.1	2.8	-1.4	-5.2	0.2	333.	419.	8.6	93.	4.0	-4.1	25.2	301.0	-2188.9
22	5	6.0	2.8	-2.1	-4.9	0.6	323.	390.	9.3	79.	3.6	-2.9	23.7	259.8	-1911.9
22	10	5.8	2.3	-1.1	-5.1	1.0	335.	390.	9.4	83.	3.9	-3.5	24.0	248.1	-1988.6
22	15	5.9	0.9	0.6	-5.7	0.7	34.	391.	9.3	75.	3.8	-4.1	23.8	268.6	-2232.4
22	20	5.5	2.6	-1.2	-4.4	1.5	335.	390.	9.1	91.	3.3	-3.3	23.2	205.8	-1700.4
22	25	5.8	4.6	-2.8	-1.5	1.7	329.	387.	9.0	106.	3.6	-5.5	22.5	132.2	-593.2
22	30	6.2	5.3	-2.9	1.3	0.9	331.	379.	8.3	119.	2.8	-4.6	20.0	24.5	493.7
22	35	6.3	5.3	-3.1	1.4	0.3	329.	371.	8.8	73.	2.3	-4.4	20.3	25.1	530.8
22	40	6.1	5.0	-3.4	0.8	0.3	326.	371.	8.7	57.	3.8	-2.0	20.0	39.3	308.6
22	45	6.3	5.2	-3.4	0.5	0.7	327.	372.	8.7	78.	3.3	-5.5	20.1	54.0	171.4
22	50	6.6	5.4	-3.7	0.2	0.6	326.	379.	9.3	119.	3.2	-6.0	22.2	72.1	84.8
22	55	6.4	5.2	-3.7	0.2	0.3	325.	373.	8.7	76.	3.1	-4.0	20.3	68.5	71.8
23	0	6.2	5.0	-3.7	0.1	0.3	324.	371.	8.4	65.	1.3	-6.8	19.4	69.7	20.7
23	5	6.2	5.0	-3.6	-0.3	0.4	324.	371.	8.5	62.	2.1	-4.2	19.6	82.9	-105.5
23	10	6.0	4.8	-3.4	-0.2	0.7	324.	372.	8.9	84.	3.6	-2.2	20.7	74.4	-86.6
23	15	4.6	2.3	-2.1	-2.9	1.6	318.	392.	10.4	86.	3.8	-4.6	26.7	117.1	-1145.5
23	20	4.3	1.0	-1.3	-3.9	0.6	308.	394.	10.3	82.	3.8	-5.2	26.7	134.1	-1535.0
23	25	4.3	-0.1	-0.5	-4.2	0.7	255.	392.	10.1	77.	3.8	-4.8	25.9	138.9	-1643.4
23	30	4.6	-0.6	0.2	-4.5	0.5	166.	392.	9.8	70.	3.8	-4.3	25.	164.0	-1776.2

23	35	4.1	-0.6	0.7	-4.0	0.6	132.	393.	10.2	76.	3.7	-5.2	28.3	189.3	-1562.0
23	40	3.6	-1.4	1.3	-2.9	0.8	135.	387.	10.6	86.	3.8	-4.5	26.5	84.3	-1117.2
23	45	4.1	-1.5	2.7	-2.7	0.5	119.	386.	10.2	73.	3.8	-4.1	25.4	95.3	-1051.7
23	50	3.6	-1.3	3.0	-1.4	0.8	114.	391.	10.6	79.	3.9	-4.0	25.5	49.8	-546.8
23	55	3.3	-1.2	2.8	-1.0	0.4	112.	390.	9.3	99.	2.6	-2.6	23.6	34.1	-392.6

APR. 15, 1977 IMP-J POSITION IN GSM COORDINATES: X(22.8); Y(2.7); Z(-17.1) Page 15

		--- MAGNETIC FIELD (GSM COORD.) ---						---------- PLASMA ----------					PRESS	EPSLN	
HR	MN	BMAGN	Bx	By	Bz	SIGMA	PHI	V	N	T/1000	PHI	THETA	10e9	10e-16	BzxV
0	15	5.4	-2.5	2.6	-3.9	0.6	134.	385.	8.9	60.	2.8	-3.1	22.0	184.0	-1503.5
0	20	5.5	-1.9	2.2	-4.7	0.4	132.	380.	9.4	64.	2.0	-4.2	22.6	211.0	-1782.9
0	25	5.3	-2.4	2.5	-4.0	0.5	134.	380.	10.4	65.	2.9	-1.3	25.1	182.7	-1515.1
0	30	5.6	-1.9	2.1	-4.8	0.7	132.	376.	10.8	64.	1.8	-2.1	25.5	210.8	-1787.5
0	35	5.7	-1.4	1.5	-5.3	0.8	132.	372.	10.7	63.	1.1	-1.7	24.7	227.7	-1958.7
0	40	5.4	0.1	-1.0	-5.2	1.0	275.	366.	10.3	55.	0.8	-0.7	23.0	190.8	-1888.2
0	45	4.6	1.2	-0.7	-4.1	1.6	329.	371.	11.3	74.	0.6	-1.2	26.0	137.2	-1525.1
0	50	4.6	0.4	1.2	-3.2	3.2	73.	375.	11.7	61.	1.5	-1.5	27.5	83.8	-1208.3
0	55	5.8	-1.1	3.0	-4.8	0.5	111.	376.	10.2	59.	1.5	-2.9	24.1	215.4	-1814.9
1	0	5.7	0.2	1.1	-5.3	1.8	79.	372.	11.5	62.	0.7	0.2	26.6	214.7	-1975.5
1	5	5.2	1.9	0.2	-4.7	1.0	5.	371.	12.0	59.	0.6	-1.1	27.6	188.7	-1737.7
1	10	5.4	1.4	0.3	-5.2	0.4	12.	371.	11.5	57.	1.1	-1.1	26.4	215.2	-1927.0
1	15	5.6	1.1	-0.7	-5.4	0.9	328.	376.	12.7	74.	1.8	-2.3	30.0	228.1	-2017.5
1	20	5.5	0.9	-0.5	-4.9	2.1	333.	377.	12.3	81.	1.3	-1.8	29.2	191.4	-1862.7
1	25	5.4	0.5	0.6	-5.3	0.6	49.	381.	11.6	79.	0.8	-2.2	28.1	217.4	-2020.8
1	30	5.3	-0.3	-0.4	-5.2	0.6	232.	381.	12.8	72.	1.1	-0.8	31.0	208.0	-1985.4
1	35	5.4	1.0	0.2	-5.2	0.5	12.	376.	12.4	76.	1.5	-1.5	29.3	214.7	-1970.9
1	40	5.4	1.3	0.1	-5.2	0.5	5.	378.	12.4	77.	1.8	-2.8	29.6	214.7	-1957.2
1	45	5.5	1.1	1.3	-5.2	0.9	51.	381.	12.6	81.	1.9	-2.4	30.5	220.9	-1980.9
1	50	4.9	2.3	-1.4	-3.9	1.2	329.	382.	13.4	101.	3.4	-3.3	32.7	164.3	-1499.1
1	55	5.0	1.8	-1.6	-4.2	1.0	319.	380.	13.5	95.	3.6	-3.2	32.6	168.5	-1606.5
2	0	4.9	1.4	-2.8	-3.7	0.6	297.	378.	14.0	88.	2.9	-1.8	33.4	144.8	-1404.0
2	5	4.6	2.2	-0.8	-3.6	1.8	340.	379.	12.1	100.	2.6	-0.7	29.0	133.1	-1346.9
2	10	4.4	1.9	1.1	-3.7	0.6	30.	374.	13.1	93.	3.1	-3.2	30.6	133.3	-1379.9
2	15	4.7	2.7	2.0	-3.3	0.6	36.	374.	12.5	80.	2.7	-3.5	29.2	142.1	-1236.9
2	20	5.2	2.1	-1.5	-3.8	2.3	324.	375.	12.6	86.	1.2	-1.7	29.6	145.8	-1417.4
2	25	5.6	3.4	-1.4	-4.3	0.5	337.	372.	12.5	73.	0.8	-0.4	28.9	221.4	-1581.8
2	30	5.5	2.6	-0.4	-4.7	1.1	351.	375.	12.8	78.	1.0	-3.8	30.1	217.0	-1772.0
2	35	5.5	2.6	1.9	-4.4	1.1	37.	374.	12.9	83.	2.5	-4.3	30.1	201.2	-1628.9
2	40	4.9	2.3	0.9	-4.2	0.8	21.	375.	13.3	88.	1.3	-2.2	31.2	172.3	-1558.1
2	45	5.1	2.6	-1.1	-3.8	2.0	337.	374.	12.1	79.	1.0	-2.8	28.3	158.8	-1417.9
2	50	5.4	1.5	-3.0	-4.2	0.9	297.	374.	11.6	74.	-0.3	-2.7	27.1	176.5	-1561.6
2	55	5.4	2.7	-3.1	-3.4	0.7	312.	371.	12.4	83.	0.1	-1.2	28.5	161.0	-1264.3
3	0	5.6	2.3	-3.3	-3.8	0.8	305.	372.	11.9	78.	0.4	-3.1	27.5	175.6	-1407.1
3	5	5.7	3.1	-3.7	-3.0	0.9	310.	372.	11.9	80.	-0.1	-1.3	27.5	156.0	-1102.2
3	10	6.1	2.9	-4.1	-3.4	0.6	305.	371.	11.9	76.	-0.4	-3.7	27.4	182.6	-1265.9
3	15	6.2	3.4	-4.5	-2.7	0.3	297.	370.	12.1	85.	-0.3	-2.4	27.7	163.7	-990.2
3	20	6.2	3.3	-4.2	-2.8	1.6	308.	371.	12.3	78.	0.1	-4.4	28.3	164.8	-1054.7
3	25	6.0	2.8	-3.5	-3.7	1.7	309.	373.	12.5	78.	0.6	-4.7	29.0	186.1	-1367.7
3	30	6.1	3.5	-1.8	-4.6	0.9	332.	373.	13.2	75.	0.5	-4.7	30.7	252.2	-1713.5
3	35	6.0	3.3	-3.8	-3.0	0.4	310.	374.	13.2	76.	0.2	-4.6	30.8	186.2	-1242.8
3	40	6.4	2.9	-4.1	-3.9	1.2	306.	376.	13.1	79.	0.3	-4.2	30.9	213.7	-1450.6
3	45	6.3	1.8	-5.4	-2.6	0.6	288.	378.	13.4	80.	-0.1	-4.6	32.0	151.5	-973.3
3	50	6.2	1.0	-5.1	-3.2	0.7	281.	376.	14.0	72.	-0.4	-5.5	33.1	164.2	-1196.6
3	55	6.2	1.4	-5.7	-2.1	0.4	284.	378.	13.8	76.	-0.5	-4.1	32.9	121.9	-795.9
4	0	6.4	2.6	-5.6	-0.9	1.6	295.	374.	12.3	70.	-0.6	-4.0	28.7	97.1	-334.1
4	5	6.5	3.6	-5.4	0.2	0.5	304.	367.	11.1	76.	-0.9	-3.4	25.8	70.5	71.4
4	10	6.6	3.6	-5.4	0.6	0.3	304.	366.	10.3	73.	-1.0	-3.3	23.0	62.5	211.1